




Converging
Innovations



Expanding
Solutions

Price List


Effective from April 2022



❖ DIN Rail Mounted Terminal Blocks



Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6	
FEED THROUGH TERMINALS	
KUTM 2.5	6
KUT 2.5	6
KUT 4	6
KST 4UWS (Spring Loaded)	6
KUT 6	6
KST 6WS (Spring Loaded)	6
KUT 10	6
KUT 16	6
KUT 25	6
KUT 35	6
KUT 50	6
KUT 95	6
MULTIPLE OUTPUT TERMINALS (KUT SERIES)	
KUT 4 - 1x2	6
KUT 4 - 2x2	6
SPRING LOADED TERMINALS	
KULT 4	7
KULT 6	7
KULT 1	7
EARTH TERMINALS	
ET 4	7
ET 6	7
ET 10	7
ET 16	7
ET 35	7
ET 50	7
MULTI-LEVEL TERMINALS (DOUBLE DECK)	
KU2D 4	7
KU2D 4S (Internally Shorted)	7
KUDD 4	7
MULTI-LEVEL TERMINALS (TRIPLE DECK)	
DU3D 4	8
DUSD 4	8
THERMOCOUPLE TERMINALS	
KUT 4NTCK	8
KUT 4NTCJ	8
KUT 4NTCT	8
KUT 4NTCE	8
PHOTOVOLTAIC (N SERIES)	
KUT 2.5N	8
KUT 4N	8
KUT 6N	8
KUT 10N	8
KUDD 4N	8
EARTH TERMINALS (N SERIES)	
ETN 4	8
ETN 6	8
ETN 10	9
ETDD 4N	9
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
KAT M3	9
KAT M3C (Shrouded Version)	9
KAT M4	9
KAT M4C (Shrouded Version)	9

PRODUCT	PAGE NUMBER
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
KAT M5	9
KAT M5C (Shrouded Version)	9
KABT M3L (Screw & Nut Driver Operated)	9
KABT M4 (Screw & Nut Driver Operated)	9
KAT M3E	9
KAT M4E	9
STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
KBT M4	9
KBT M4C (Shrouded Version)	9
KBT M5-15	10
KBT M5-15C (Shrouded Version)	10
KBT M6	10
KBT M6C (Shrouded Version)	10
KBT M4E	10
KBT M5E	10
KBT M6E	10
STUD TYPE TERMINALS (HINGED TYPE)	
OAT 2.5	10
OAT 6	10
OAT 25	10
FUSE TERMINALS	
KUDF 4	10
KUDF 4AD (With LED Indication)	10
KUFH 4	11
KUFH 4D (With LED Indication)	11
KUFH 4A (With LED Indication)	11
UBDF 4	11
UBDF 4D (With LED Indication)	11
UBDF 4A (With LED Indication)	11
KUF 10	11
KUF 10D (With LED Indication)	11
KUF 10A (With LED Indication)	11
FUSE FEED THROUGH TERMINALS	
KUDDF 4	11
KUDDF 4AD (With LED Indication)	11
DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
KLTD M4	11
KLTD M4 - 2W	11
KUTSD 6	12
KUTD 10	12
KULTD 6 (Spring Loaded)	12
OAT 6T (Hinged Type)	12
OAT 6DTS (Hinged Type)	12
OAT 6DTS - 2W (Hinged Type)	12
OAT 10DTS	12
DISCONNECTING TERMINALS (KNIFE EDGE TYPE)	
KULTD 4	12
KULTD 4WS (Spring Loaded)	12
KUDT 4 - 2x2	12
KUDT 6	12
DISCONNECTING TERMINALS (POP-UP TYPE)	
KUPDS 6	12
KUPTD 6	12
KUPTD 6S (Spring Loaded)	12

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
PLUG & SOCKET TERMINALS		DBD 16	15
PS8M	13	DBD 35	15
POWER TERMINALS (PANEL MOUNTED)		COMPONENT HOUSING	
PAT 30	13	KPCH 4	16
PAT 100	13	KPCH 6	16
PAT 150	13	KUDD 4CC1	16
PAT 250	13	KUDD 4CC2	16
POWER TERMINALS		KUDD 4CA1	16
KBT 100	13	KUDD 4CA2	16
DPBB 50	13	KUDD 4D1	16
DPBB 70	13	KUDD 4R	16
DPBB 120	13	KUDD 4MOV	16
DPBB 185N	13	CH4 / CH6	16
DPBB 240	13	CH 4D1 / CH 6D1	16
POWER TERMINALS (SHROUDED)		CH 4R1 / CH 6R1	16
SPT 35	14	CH 4MOV1 / CH 6MOV1	16
SPT 70	14	MICRO TERMINALS	
SPT 95	14	SUT 1.5	16
SPT 120	14	SUT 4	16
SPT 150	14	CET 4	17
SPT 185	14	MBT 4	17
SPT 240	14	SET 4	17
SPT 300	14	PET 4	17
DISTRIBUTION BLOCKS		PBT M3	17
FDBK 1x2	14	PBT M4	17
FDBK 1x4	14	SPRING CLAMP TERMINALS (FEED THROUGH)	
FDBK 1x8	14	DST 2.5	17
DBK 1x2	14	DST 4	17
DBK 1x4	14	DST 6	17
FDBK 3	14	DST 10	17
FDBK 4	14	DST 16	17
FDBK 5	14	DST 35	17
FDBK 6	14	DST 2.5 - 1x2	18
FDBK 8	14	DST 2.5 - 2x2	18
DBK 3	15	DST 4 - 1x2	18
DBK 4	15	DST 4 - 2x2	18
DBK 5	15	DST 6 - 1x2	18
DBK 6	15	DST 10 - 1x2	18
DBK 8	15	DST 16 - 1x2	18
DBK 1x8	15	DST 2.5 - 2C1P	18
DFBK 12	15	DST 2.5 - 2C2P	18
DBK 150/16 - 1x2	15	DST 2.5 - 2C1PP	18
DBK 150/16 - 1x4	15	SCT 2.5 (Side - Entry)	18
DBK 150/16 - 1x8	15	SCT 4 (Side - Entry)	18
DBK 150/25 - 1x2	15	SCT 6 (Side - Entry)	18
DBK 150/25 - 1x4	15	SCT 10 (Side - Entry)	18
DBK 150/25 - 1x8	15	SPRING CLAMP COMPONENT HOUSING TERMINALS	
DBK 150/M6C - 1x2	15	DSDD 2.5 CA1 / CC2	18
DBK 150/M6C - 1x4	15	SPRING CLAMP MULTI-LEVEL TERMINALS	
DBK 150/M6C - 1x8	15	DSDD 2.5	19
COMPACT DISTRIBUTION BLOCKS		DSDDM 2.5	19

INDEX



PRODUCT	PAGE NUMBER
DS3L 2.5	19
DS8L P16	19
DS8L P32	19
SPRING CLAMP FUSE TERMINALS	
DCF 4	19
DCF 4D (With LED Indication)	19
DCF 4A (With LED Indication)	19
SCF 6	19
SPRING CLAMP DISCONNECT TERMINALS	
DSDT 2.5WOSL	19
DSDT 2.5	19
DSDT 2.5 - 2x2	19
DSCDT 6	19
SPRING CLAMP DISTRIBUTION BLOCKS	
DTB 35 -10x4	19
DTB 35 - 10	19
SPRING CLAMP TERMINALS (EARTHING)	
DSET 2.5	20
DSET 4	20
DSET 6	20
DSET 10	20
DSET 2.5 - 1x2	20
DSET 2.5 - 2x2	20
SPRING CLAMP MICRO TERMINALS	
MCT 2.5MC	20
SCT 2.5MC	20
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)	
MCT 1.5	20
MCT 2.5	20
MCT 2.5P4	20
MCT 4	20
MCT 4P4	20
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)	
DMCT 2.5P4	20
PLUG & SOCKET TERMINALS	
DPSC 5.08(Wire to Wire)	21
DPSC 5.08(Panel Mounted)	21
DPSC 7.50(Wire to Wire)	21
DPSC 7.50(Panel Mounted)	21
LIGHTING POLE TERMINALS	
LPT 225	21
LPT 235	21
LPT 325	21
LPT 335	21
NEUTRAL LINKS	
KNL 4	21
KNL 16	21
KNL 35	21
PCB CONNECTORS	
PUT 2.5	21
DIN RAIL MOUNTED TERMINALS MELAMINE	
FEED THROUGH TERMINALS	
CST 2.5	22

PRODUCT	PAGE NUMBER
CST 6	22
CST 10	22
CST 16	22
CST 25	22
CST 35	22
CST 70	22
CST 185	22
SPRING LOADED TERMINALS	
CST 2.5 WS	22
CST 6WS	22
CSLT 1	22
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
CAT M3	22
CAT M4	22
CAT M5	22
STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
CBT M4	23
CBT M5	23
CBT M6	23
CBT M6S1	23
STUD TYPE TERMINALS (SCREW & NUT DRIVER OPERATED)	
CABT M4	23
PLUG & SOCKET TERMINALS	
PSC 1/5	23
TEST - DISCONNECT TERMINALS	
CATD M4	23
CLTD M4	23
CSTD 6	23
POWER TERMINALS	
CBT 100	23
CBT 110	23
CBT 170	23
CBT 250	23
CBT 300	24
POWER TERMINALS (WITH TAPPED CURRENT BAR)	
CBT 110T	24
CBT 170T	24
CBT 250T	24
CBT 300T	24
"C" SERIES FEED THROUGH TERMINALS (POLYAMIDE 6.6)	
CUTM 2.5	24
CUT 4	24
CUT 6	24
CUT 10	24
ACCESSORIES	
DIN RAIL & END CLAMPS	25
MARKING LABELS & WARNING LABELS	29
END PLATES	31
PARTITION PLATES	32
INTER CONNECTING ACCESSORIES	33
PROTECTION COVERS	34

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Feed Through Terminals

KUTM 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTM 2.5	8.40	9.30
	Voltage: 800 V	End Plate	KPNS	5.00	5.50
	Current: 24 A	Shorting Link	CCLK2.5	12.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	Torque: 0.5 Nm				

KUT 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 4	10.60	11.70
	Voltage: 800 V	End Plate	KPX	5.50	6.10
	Current: 32 A	Shorting Link	CCLA2.5	13.00	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	8.50	-
	Torque: 0.5 Nm				

KUT 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 6	14.30	15.80
	Voltage: 800 V	End Plate	KPX	5.50	6.10
	Current: 41 A	Shorting Link	CCLA6	14.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	Torque: 0.8 Nm				

KUT 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 10	18.10	20.00
	Voltage: 800 V	End Plate	KPX	5.50	6.10
	Current: 57 A	Shorting Link	CCLA10	15.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	10.00(5 labels)	-
	Torque: 1.2 Nm				

KUT 25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 25	55.00	60.50
	Voltage: 1000 V	End Plate	KPT	8.40	9.30
	Current: 101 A	Shorting Link	CCLA25	20.00	-
	Wire Size: 25 mm ²	Marker	LabelKN12	10.00(5 labels)	-
	Torque: 2.3 Nm				

KUT 50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 50	220.00	242.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	126.00	-
	Wire Size: 50 mm ²	Marker	LabelKN17	11.00(5 labels)	-
	Torque: 8 Nm				

Multiple Output Terminals (KUT Series)

KUT 4 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 4-1x2	25.00	27.50
	Voltage: 1000 V	End Plate	KPM 4	10.50	11.60
	Current: 32 A	Shorting Link	CCLA4N	13.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

All Shorting Link Prices are for 2 Way Shorting.

KUT 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 2.5	8.60	9.50
	Voltage: 800 V	End Plate	KPNS	5.00	5.50
	Current: 24 A	Shorting Link	CCLM2.5K	12.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				


KST 4UWS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KST 4UWS	25.00	On Request
	Voltage: 800 V	End Plate	KPX	5.50	6.10
	Current: 32 A	Shorting Link	CCLA2.5	13.00	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	8.50	-
	Torque: 0.5 Nm				

KST 6WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KST 6WS	34.00	On Request
	Voltage: 630 V	End Plate	KSP6WS	11.00	On Request
	Current: 41 A	Shorting Link	CCLA6	14.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	Torque: 0.8 Nm				

KUT 16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 16	33.50	36.90
	Voltage: 800 V	End Plate	KPY	8.40	9.30
	Current: 76 A	Shorting Link	CCLA16	17.50	-
	Wire Size: 16 mm ²	Marker	LabelKN12	10.00(5 labels)	-
	Torque: 1.2 Nm				

KUT 35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 35	75.00	82.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	24.20	-
	Wire Size: 35 mm ²	Marker	LabelKN17	11.00(5 labels)	-
	Torque: 3 Nm				

KUT 95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 95	360.00	On Request
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	11.00(5 labels)	-
	Torque: 20 Nm				

KUT 4 - 2x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 4 - 2x2	35.00	38.50
	Voltage: 800 V	End Plate	KPMD4	14.50	16.00
	Current: 24 A	Shorting Link	CCLA4N	13.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Loaded Terminals

KULT 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT 4	28.00	30.80
	Voltage: 1000 V	End Plate	KPSL	10.50	11.60
	Current: 32 A	Shorting Link	CCLAK4	13.70	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

KULT 1				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT 1	39.00	42.90
	Voltage: 1000 V	End Plate	KPSL	10.50	11.60
	Current: 57 A	Shorting Link	CCLA1LK	20.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	10.00	-
	Torque: 1.2 Nm				

KULT 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT 6	30.00	33.00
	Voltage: 800 V	End Plate	KPSL	10.50	11.60
	Current: 41 A	Shorting Link	CCLAK6	15.80	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	Torque: 1.4 Nm				

Earth Terminals

ET 4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 4	63.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.00	-

ET 10				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 10	89.00	-
	Wire Size: 10 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN10	10.00	-


ET 35				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 35	229.50	-
	Wire Size: 35mm ²	End Plate	Not Required	-	-
	Torque: 3 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	10.00 (5 labels)	-

ET 50				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 50	540.00	-
	Wire Size: 50mm ²	End Plate	Not Required	-	-
	Torque: 8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN17	11.00 (5 labels)	-

ET 6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 6	74.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN6.5	8.50	-

ET 16				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET 16	106.00	-
	Wire Size: 16 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	10.00 (5 labels)	-

Double Deck Terminals

KU2D 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D 4	27.50	30.30
	Voltage: 500 V	End Plate	EPDD4	10.50	11.60
	Current: 24 A	Shorting Link	CCLADD	12.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.4 Nm				

KUDD 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD 4	31.00	34.10
	Voltage: 500 V	End Plate	KPDD	10.50	11.60
	Current: 24 A	Shorting Link	CCLADD	12.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.4 Nm				


KU2D 4S (Internally Shorted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D 4S	38.00	41.80
	Voltage: 500 V	End Plate	EPDD4	10.50	11.60
	Current: 24 A	Shorting Link	SLC4N	15.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.4 Nm				

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Triple Deck Terminals


DU3D 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DU3D 4	72.00	On Request
	Voltage: 500 V	End Plate	DP3D	14.00	On Request
	Current: 20 A	Shorting Link	CCLATD	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				


DUSD 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DUSD 4	40.00	On Request
	Voltage: 500 V	End Plate	DPSD	10.00	On Request
	Current: 20 A	Shorting Link	CCLATD	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

Thermocouple Terminals


KUT 4NTCK, KUT 4NTCJ, KUT 4NTCT, KUT 4NTCE				
	IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm ² Torque: 0.5 Nm	Type	Terminal	Std. Colour
		'K' Type	KUT 4NTCK	70.00
		'J' Type	KUT 4NTCJ	92.00
		'T' Type	KUT 4NTCT	92.00
		'E' Type	KUT 4NTCE	92.00
		End Plate	KPXN	7.50
		Marker	LabelKN5.5	8.00

KUT - N Series (Photovoltaic Application)

KUT 2.5N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 2.5N	10.50	11.60
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 24 A	Shorting Link	CCLM2.5N	12.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	Torque: 0.4 Nm				

KUT 4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 4N	12.50	13.80
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 32 A	Shorting Link	CCLA4N	13.00	-
	Wire Size: 4mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

KUT 6N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 6N	14.50	16.00
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 41 A	Shorting Link	CCLA6N	14.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	Torque: 0.8 Nm				

KUT 10N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT 10N	21.00	23.10
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 63 A	Shorting Link	CCLA10N	15.00	-
	Wire Size: 10mm ²	Marker	LabelKN10	10.00	-
	Torque: 1.2 Nm				

KUDD 4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD 4N	45.00	49.50
	Voltage: 630 V	End Plate	KPDDN	15.00	16.50
	Current: 28 A	Shorting Link	CCLADDN	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 0.5 Nm				

Earth Terminals (N-Series)

ETN 4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN 4	67.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.00	-

ETN 6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN 6	77.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	9.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



ETN 10				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	ETN 10	91.00	-
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	10.00	-

ETDD 4N				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	ETDD 4N	111.00	-
		End Plate	KPDDN (Gr)	19.00	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.00	-

Stud Type Terminals (Screw Driver Operated)

KAT M3				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	KAT M3	29.00	31.90
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL3	20.00	-
		Marker	LabelKN6.5	8.50	-

KAT M3C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	KAT M3C	36.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN6.5	8.5	-

KAT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KAT M4	35.00	38.50
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

KAT M4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KAT M4C	41.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN10	10.00	-

KAT M5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KAT M5	43.00	47.30
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

KAT M5C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KAT M5C	49.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN10	10.00	-

KABT M3L (Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	KABT M3L	29.50	32.50
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL3	20.00	-
		Marker	LabelKN6.5	8.50	-

KABT M4 (Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KABT M4	35.50	39.10
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

KAT M3E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	KAT M3E	23.00	On Request
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL3	20.00	-
		Marker	LabelKN6.5	8.50	-

KAT M4E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KAT M4E	25.00	On Request
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

Stud Type Terminals (Nut Driver Operated)

KBT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KBT M4	36.00	39.60
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

KBT M4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KBT M4C	42.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN10	10.00	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



KBT M5-15				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KBT M5-15	44.50	49.00
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL5	22.00	-
		Marker	LabelKN6.5	8.50	-

KBT M5-15C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KBT M5-15C	49.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN12	10.00(5 labels)	-

KBT M6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	KBT M6	62.00	68.20
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL6	25.30	-
		Marker	LabelKN6.5	8.50	-

KBT M6C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	KBT M6C	68.00	On Request
		End Plate	Not Required	-	-
		Marker	LabelKN12	10.00(5 labels)	-


KBT M4E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KBT M4E	27.00	On Request
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL4	21.00	-
		Marker	LabelKN6.5	8.50	-

KBT M5E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KBT M5E	30.50	On Request
		End Plate	KPS4	9.00	9.90
		Shorting Link	KSL5	22.00	-
		Marker	LabelKN6.5	8.50	-

KBT M6E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2 Nm	Terminal	KBT M6E	53.00	On Request
		End Plate	KPS6	12.00	On Request
		Marker	LabelKN6.5	8.50	-

Stud Type Terminals (Hinged Type)

OAT 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	OAT 2.5	37.50	41.30
		End Plate	OEP2.5	8.40	9.30
		Shorting Link	OSL2.5	18.00	-
		Marker	LabelKN6.5	8.50	-

OAT 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 1.5 Nm	Terminal	OAT 6	45.50	50.10
		End Plate	OEP6	9.50	10.50
		Shorting Link	OSL6	23.00	-
		Marker	LabelKN9	9.00	-

OAT 25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 100 A Wire Size: 25 mm ² Torque: 3 Nm	Terminal	OAT 25	105.00	115.50
		End Plate	OEP25	12.00	13.20
		Shorting Link	KSL7	28.00	-
		Marker	LabelKN17	11.00(5 labels)	-

Fuse Terminals

KUDF 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 6.3 A Wire Size: 4 mm ² Torque: 0.4 Nm	Terminal	KUDF 4NV	39.00	42.90
		End Plate	Not Required	-	-
		Shorting Link	UFSL	20.00	-
		Marker	LabelKN8	9.00	-

KUDF 4AD**				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 6.3 A Wire Size: 4 mm ² Torque: 0.4 Nm	Terminal	KUDF 4AD	52.50	57.80
		End Plate	Not Required	-	-
		Shorting Link	UFSL	20.00	-
		Marker	LabelKN8	9.00	-

All Shorting Link Prices are for 2 Way Shorting.

**Available Signal Voltage AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ), AD12V = 12 V (12KΩ)

Suitable for both AC & DC Voltages Resistor Value Shown in Brackets

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



KUFH 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH 4	78.00	85.80
	Voltage: 800 V	End Plate	EPFH	11.00	12.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	9.00	-
	Torque: 0.5 Nm				


KUFH 4D*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH 4D	88.00	96.80
	Voltage: 800 V	End Plate	EPFH	11.00	12.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	9.00	-
	Torque: 0.5 Nm				


KUFH 4A*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH 4A	89.00	97.90
	Voltage: 800 V	End Plate	EPFH	11.00	12.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	9.00	-
	Torque: 0.5 Nm				

UBDF 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	UBDF 4	57.50	On Request
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	CLUF	20.00	-
	Wire Size: 4 mm ²	Marker	LabelU8.25	15.00	-
	Torque: 0.5 Nm				

UBDF 4D*/4A*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	UBDF 4D*	66.00	On Request
	Voltage: 1000 V		UBDF 4A*	68.00	On Request
	Current: 6.3 A	End Plate	Not Required	-	-
	Wire Size: 4 mm ²	Shorting Link	CLUF	20.00	-
	Torque: 0.5 Nm	Marker	LabelU8.25	15.00	-

LED Kit (For UBDF 4)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Type	LED Kit	22.00	-
	Voltage: 12, 24, 48, 110, 220 VDC 110, 220 VAC				

KUF 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF 10	98.00	On Request
	Voltage: 1000 V	End Plate	EPF 10	15.00	On Request
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	10.00(5 labels)	-
	Torque: 1.4 Nm				

KUF 10D*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF 10D	110.00	On Request
	Voltage: 1000 V	End Plate	EPF 10	15.00	On Request
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	10.00(5 labels)	-
	Torque: 1.4 Nm				


KUF 10A*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF 10A	113.00	On Request
	Voltage: 1000 V	End Plate	EPF 10	15.00	On Request
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	10.00(5 labels)	-
	Torque: 1.4 Nm				

Fuse Feed Through Terminals

KUDDF 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF 4	79.50	87.50
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	20.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	9.00	-
	Torque: 0.5 Nm				

KUDDF 4AD**				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF 4AD	93.00	102.30
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	20.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	9.00	-
	Torque: 0.5 Nm				

Disconnecting Terminals (Sliding Link Type)

KLTD M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD M4	55.00	60.50
	Voltage: 800 V	End Plate	KPLD4	12.00	13.20
	Current: 41 A	Shorting Link	KDSL4	20.00	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 1.2 Nm				

KLTD M4- 2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD M4-2W	130.00	On Request
	Voltage: 800 V	End Plate	KPLD4	12.00	13.20
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	8.00	-
	Torque: 1.2 Nm				

All Shorting Link Prices are for 2 Way Shorting.


* Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)

**Available Signal Voltage AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ), AD12V = 12 V (12KΩ)

Suitable for both AC & DC Voltages Resistor Value Shown in Brackets


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




KUTSD 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTSD 6	52.00	57.20
	Voltage: 800 V	End Plate	KPSD	11.00	12.10
	Current: 41 A	Shorting Link	SLC6	20.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
Torque: 1.4 Nm					

KUTD 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTD 10	83.00	91.30
	Voltage: 630 V	End Plate	KPTD	12.50	13.80
	Current: 61 A	Shorting Link	SLC6	20.00	-
	Wire Size: 10 mm ²	Marker	LabelKN8	9.00	-
Torque: 1.2 Nm					

KULTD 6 (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD 6	102.00	112.20
	Voltage: 800 V	End Plate	KPSLD	12.00	13.20
	Current: 41 A	Shorting Link	SLD6	22.20	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
Torque: 1.0 Nm					


OAT 6T (Hinged Type)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT 6T	64.00	70.40
	Voltage: 800 V	End Plate	OEP6T	13.00	14.30
	Current: 41 A	Shorting Link	OSL6R	27.30	-
	Wire Size: 6 mm ²	Marker	LabelKN9	9.00	-
Torque: 1.5 Nm					

OAT 6DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT 6DTS	75.00	82.50
	Voltage: 800 V	End Plate	OEP6DTS	13.50	14.90
	Current: 41 A	Shorting Link	OSL6R	27.30	-
	Wire Size: 6 mm ²	Marker	LabelKN9	9.00	-
Torque: 1.5 Nm					

OAT 6DTS - 2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT 6DTS-2W	160.00	On Request
	Voltage: 800 V	End Plate	OEP6DTS	13.50	14.90
	Current: 41 A	Shorting Link	OSL6R	27.30	-
	Wire Size: 6 mm ²	Marker	LabelKN9	9.00	-
Torque: 1.5 Nm					

OAT 10DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT 10DTS	98.00	On Request
	Voltage: 1000 V	End Plate	OEP10DTS	15.50	On Request
	Current: 57 A	Shorting Link	OSLD10	45.00	-
	Wire Size: 6 mm ²	Marker	LabelKN12	10.00	-
Torque: 1.5 Nm					

Disconnecting Terminals (Knife Edge Type)

KULTD 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD 4	38.50	42.40
	Voltage: 800 V	End Plate	KPSD4	9.50	10.50
	Current: 20 A	Shorting Link	SLC4N	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
Torque: 0.6 Nm					

KULTD 4WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD 4WS	65.00	71.50
	Voltage: 800 V	End Plate	KPSD4	9.50	10.50
	Current: 20 A	Shorting Link	SLC4N	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
Torque: 0.6 Nm					

KUDT 4 - 2x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDT 4-2x2	68.00	74.80
	Voltage: 800 V	End Plate	KPMD4	14.50	16.00
	Current: 17.5 A	Shorting Link	SLC4N	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
Torque: 0.5 Nm					

KUDT 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDT 6	55.00	On Request
	Voltage: 800 V	End Plate	KPSD4	9.50	10.50
	Current: 24 A	Shorting Link	SLC6SL	19.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
Torque: 0.8 Nm					

Disconnecting Terminals (Pop-Up Type)

KUPDS 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUPDS 6	75.00	On Request
	Voltage: 500 V	End Plate	KPDS	12.00	On Request
	Current: 32 A	Shorting Link	SLC6	20.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
Torque: 0.8 Nm					

KUPTD 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUPTD 6	105.00	On Request
	Voltage: 630 V	End Plate	KPPDS	13.00	On Request
	Current: 24 A	Shorting Link	SLD6	22.20	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
Torque: 1.5 Nm					

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Disconnecting Terminals (Pop-Up Type)

KUPTD 6S (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUPTD 6S	110.00	On Request
	Voltage: 630 V	End Plate	KPPDS	13.00	On Request
	Current: 24 A	Shorting Link	SLD6	22.20	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	Torque: 1.5 Nm				

Plug & Socket Terminal

PS 8M* (2W to 8W)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PS8M (2 Way)	73.00	On Request
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 32 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN6.5	8.50	-
	Torque: 0.8 Nm				

Power Terminals (Panel Mounted)

PAT 30				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PAT 30	26.00	On Request
	Voltage: 800 V	End Plate	EPA30	11.00	On Request
	Current: 57 A	Shorting Link	Not Required	-	-
	Wire Size: 10 mm ²	Marker	LabelKN8	9.00	-
	Torque: 1.2 Nm				

PAT 100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PAT 100	105.00	On Request
	Voltage: 1000 V	End Plate	EPA100	16.00	On Request
	Current: 100 A	Shorting Link	Not Required	-	-
	Wire Size: 25 mm ²	Marker	LabelKN8	9.00	-
	Torque: 3 Nm				

PAT 150				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PAT 150	165.00	On Request
	Voltage: 800 V	End Plate	EPA100	16.00	On Request
	Current: 150 A	Shorting Link	Not Required	-	-
	Wire Size: 50 mm ²	Marker	LabelKN8	9.00	-
	Torque: 6 Nm				

PAT 250				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PAT 250	250.00	On Request
	Voltage: 400 V	End Plate	EPA100	16.00	On Request
	Current: 250 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN8	9.00	-
	Torque: 6 Nm				

Power Terminals

KBT 100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBT 100	70.00	77.00
	Voltage: 800 V	End Plate	KPS100	11.00	12.10
	Current: 100 A	Partition Plate	KBXF	16.00	On Request
	Wire Size: 35 mm ²	Marker	LabelKN6.5	8.50	-
	Torque: 2.5 Nm				

DPBB 50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DPBB 50	135.00	148.50
	Voltage: 1000 V	Barrier Plate	BPN 70	31.50	On Request
	Current: 150 A	Marker	LabelKN10	10.00	-
	Wire Size: 50 mm ²				
	Torque: 3 Nm				

DPBB 70				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DPBB 70	183.00	201.30
	Voltage: 1000 V	Barrier Plate	BPN 70	31.50	On Request
	Current: 192 A	Marker	LabelKN10	10.00	-
	Wire Size: 70 mm ²				
	Torque: 3 Nm				

DPBB 120				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DPBB 120	285.00	313.50
	Voltage: 1000 V	Barrier Plate	BPN120	37.00	On Request
	Current: 269 A	Marker	LabelKN10	10.00	-
	Wire Size: 120 mm ²				
	Torque: 6 Nm				

DPBB 185N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DPBB 185N	620.00	On Request
	Voltage: 1000 V	Barrier Plate	BPA185/240	47.50	On Request
	Current: 353 A	Marker	LabelKN10	10.00	-
	Wire Size: 185 mm ²				
	Torque: 14 Nm				

DPBB 240				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DPBB 240	730.00	On Request
	Voltage: 1000 V	Barrier Plate	BPA185/240	47.50	On Request
	Current: 415 A	Marker	LabelKN10	10.00	-
	Wire Size: 240 mm ²				
	Torque: 25 Nm				

All Shorting Link Prices are for 2 Way Shorting.
* PS8M-3 Way to 8 Way Prices are shown on page 28

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Power Terminals (Shrouded)

SPT 35 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 140 A Wire Size: 35 mm² Torque: 3 Nm	Terminal	SPT 35	220.00	264.00	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 70 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm² Torque: 6 Nm	Terminal	SPT 70	322.00	386.40	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 95 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm² Torque: 3 Nm	Terminal	SPT 95	410.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 120 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm² Torque: 10 Nm	Terminal	SPT 120	500.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 150 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 320 A Wire Size: 150 mm² Torque: 10 Nm	Terminal	SPT 150	610.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 185 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm² Torque: 14 Nm	Terminal	SPT 185	740.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	10.00(5 labels)	-	

SPT 240 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm² Torque: 14 Nm	Terminal	SPT 240	890.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	12.00(5 labels)	-	

SPT 300 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 520 A Wire Size: 300 mm² Torque: 25 Nm	Terminal	SPT 300	990.00	On Request	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	12.00(5 labels)	-	

Distribution Blocks

FDBK 1x2				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm² OG-4 mm² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK 1x2	130.00	143.00	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN6.5	8.50	-	

FDBK 1x4				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm² OG-4 mm² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK 1x4	155.00	170.50	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN6.5	8.50	-	

FDBK 1x8				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm² OG-4 mm² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK 1x8	230.00	253.00	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN6.5	8.50	-	

FDBK 3, FDBK 4, FDBK 5, FDBK 6, FDBK 8				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-32A, OG-32A Wire Size: IC-4 mm² OG-4 mm² Torque: IC-0.5 Nm OG-0.5 Nm	Distribution Block	FDBK 3	60.00	On Request	
		FDBK 4	75.00	On Request	
		FDBK 5	90.00	On Request	
		FDBK 6	108.00	On Request	
		FDBK 8	140.00	On Request	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN6.5	8.50	-	

DBK 1x2				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 mm² Torque: IC-6Nm OG-1.2 Nm	Distribution Block	DBK 1x2	150.00	165.00	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN10	10.00	-	

DBK 1x4				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm	Distribution Block	DBK1x4	205.00	225.50	
	Partition Plate	KBXF	16.00	On Request	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN10	10.00	-	

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



DBK 1x8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A	Distribution Block DBK 1x8	290.00	319.00
	Wire Size: IC-35 mm ² OG-10 sq mm	Partition Plate KBXF	16.00	On Request
	Torque: IC-6 Nm OG-1.2 Nm	Shorting Link	Not Required	-
		Marker	LabelKN10	10.00

DFBK 12			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm ² Torque: 1.2/0.5 Nm	Distribution Block DFBK 1x2	250.00	275.00
		Partition Plate KBXF	16.00	On Request
		Shorting Link	Not Required	-
		Marker	LabelKN 6.5/ LabelKN10	8.50/ 10.00

DBK 3, DBK 4, DBK 5, DBK 6, DBK 8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A	Distribution Block DBK 3	75.00	On Request
	Wire Size: IC-10 mm ² OG-10 mm ²	DBK 4	98.00	On Request
	Torque: IC-1.2 Nm OG-1.2 Nm	DBK 5	125.00	On Request
		DBK 6	150.00	On Request
		DBK 8	175.00	On Request
		Partition Plate KBXF	16.00	On Request
		Shorting Link	Not Required	-
		Marker	LabelKN10	10.00

DBK 150/16-1x2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A	Distribution Block DBK150/16-1x2	520.00	On Request
	Wire Size: IC-150 mm ² OG-16 mm ²	Partition Plate KBXF	20.00	On Request
	Torque: IC-14 Nm OG-1.2 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/16-1x4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A	Distribution Block DBK150/16-1x4	580.00	On Request
	Wire Size: IC-150 mm ² OG-16 mm ²	Partition Plate KBXF	20.00	On Request
	Torque: IC-14 Nm OG-1.2 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/16-1x8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A	Distribution Block DBK150/16-1x8	700.00	On Request
	Wire Size: IC-150 mm ² OG-16 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-1.2 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-


DBK 150/25-1x2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A	Distribution Block DBK150/25-1x2	580.00	On Request
	Wire Size: IC-150 mm ² OG-25 mm ²	Partition Plate KBXF	20.00	On Request
	Torque: IC-14 Nm OG-2.3 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/25-1x4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A	Distribution Block DBK150/25-1x4	670.00	On Request
	Wire Size: IC-150 mm ² OG-25 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-2.3 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/25-1x8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A	Distribution Block DBK150/25-1x8	850.00	On Request
	Wire Size: IC-150 mm ² OG-25 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-2.3 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/M6C-1x2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A	Distribution Block DBK150/M6C-1x2	700.00	On Request
	Wire Size: IC-150 mm ² OG-35 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-2.5 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/M6C-1x4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A	Distribution Block DBK150/M6C-1x4	800.00	On Request
	Wire Size: IC-150 mm ² OG-35 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-2.5 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

DBK 150/M6C-1x8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A	Distribution Block DBK150/M6C-1x8	1000.00	On Request
	Wire Size: IC-150 mm ² OG-35 mm ²	Partition Plate KBZF	20.00	On Request
	Torque: IC-14 Nm OG-2.5 Nm	Shorting Link	Not Required	-
		Marker	LabelKN12	10.00(5 labels)
				-

Compact Distribution Blocks


DBD 16			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm ² OG-6 mm ²	Distribution Block DBD 16	260.00	On Request
	Torque: IC-1.2 Nm OG-0.8 Nm	Partition Plate KBXF	16.00	On Request
		Shorting Link	Not Required	-
		Marker	LABELKN12	10.00(5 labels)
				-

DBD 35			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm ² OG-10 mm ² , 16 mm ²	Distribution Block DBD 35	360.00	On Request
	Torque: IC-4.5 Nm OG-1.2 Nm	Partition Plate KBXF	16.00	On Request
		Shorting Link	Not Required	-
		Marker	LABELKN12	10.00(5 labels)
				-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Component Housing

KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 20A/24A Wire Size: 4/6 mm² Torque: 0.5/0.8 Nm	Terminal	KPCH4	70.00 On Request
		KPCH6	80.00 On Request
	End Plate	KPSD4	9.50 10.50
	Partition Plate	KBZF	20.00 On Request
	Marker	LabelKN5.5/8	8.00/9.00 -

KUDD 4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4CC2	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -


KUDD 4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4CA2	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -


KUDD 4R (One Resistor)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4R	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -

CH 4 / CH 6		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm	Adapter	CH 4	35.00 On Request
		CH 6	40.00 -
	Marker	LabelKN5.5	8.00 -

CH 4R1 / CH 6R1		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm	Adapter	CH 4R1	On Request On Request
		CH 6R1	On Request -
	Marker	LabelKN5.5	8.00 -

SUT 1.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 320 V Current: 18 A Wire Size: 1.5 mm² Torque: 0.4 Nm	Terminal	SUT 1.5	12.00 On Request
	End Plate	ES2	10.00 On Request
	Shorting Link	CCLA1.5	18.00 -
	Marker	LabelKN5	8.50 -

SUT 4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm	Terminal	SUT 4	9.40 10.40
	End Plate	ES4	5.50 6.10
	Shorting Link	CCLADD	12.00 -
	Marker	LabelKN5.5	8.00 -

KUDD 4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4CC1	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 (6 labels) -

KUDD 4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4CA1	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -

KUDD 4D1 (One Diode)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4D1	62.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -


KUDD 4MOV (with MOV)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD 4MOV	75.00 On Request
	End Plate	KPDD	10.50 11.60
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.00 -

CH 4D1 / CH 6D1		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm	Adapter	CH 4D1	On Request On Request
		CH 6D1	On Request On Request
	Marker	LabelKN5.5	8.00 -

CH 4MOV1 / CH 6MOV1		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm	Adapter	CH 4MOV1	On Request On Request
		CH 6MOV1	On Request -
	Marker	LabelKN5.5	8.00 -

Micro Terminals (15mm Rail Mounted)

SUT 1.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 320 V Current: 18 A Wire Size: 1.5 mm² Torque: 0.4 Nm	Terminal	SUT 1.5	12.00 On Request
	End Plate	ES2	10.00 On Request
	Shorting Link	CCLA1.5	18.00 -
	Marker	LabelKN5	8.50 -

SUT 4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm	Terminal	SUT 4	9.40 10.40
	End Plate	ES4	5.50 6.10
	Shorting Link	CCLADD	12.00 -
	Marker	LabelKN5.5	8.00 -


All Shorting Link Prices are for 2 Way Shorting.
* Also available with diode, resistor and MOV.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



CET 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CET 4	15.00	On Request
		End Plate	EPM	9.00	On Request
		Shorting Link	SLE2	10.50	-
		Marker	LabelKN6.5	8.50	-
		CECC			

SET 4 (Earthing)				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	SET 4	45.00	-
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.00	-
		CE			

MBT 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 30 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	MBT 4	18.00	On Request
		End Plate	MP1	9.00	On Request
		Shorting Link	SLU4	20.00	-
		Marker	LabelU6	18.00	-
		UL CECC			


Micro Terminals (Panel Mounted)

PET 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	PET 4	12.00	13.20
		End Plate	EPP	7.50	8.30
		Shorting Link	CCLADD	12.00	-
		Marker	LabelKN5.5	8.00	-
		CE			

PBT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 20 A Wire Size: 1.5 mm ² Torque: 1.2 Nm	Terminal	PBT M4	9.50	On Request
		End Plate	EPBM4	6.00	On Request
		Shorting Link	Not Required	-	-
		Marker	Not Required	-	-
		CE			

PBT M3				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 20 A Wire Size: 1.5 mm ² Torque: 0.5 Nm	Terminal	PBT M3	8.50	On Request
		End Plate	EPBM4	6.00	On Request
		Shorting Link	Not Required	-	-
		Marker	Not Required	-	-
		CE			


Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

DST 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DST 2.5	10.30	11.40
		End Plate	DSEP2.5	5.50	6.10
		Shorting Link	SSL2.5	8.00	-
		Marker	LabelKN5	8.50	-
		CECC			

DST 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ²	Terminal	DST 6	33.00	36.30
		End Plate	DSEP6	7.00	7.70
		Shorting Link	SSL6	22.00	-
		Marker	LabelKN8	9.00	-
		CECC			

DST 16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ²	Terminal	DST 16	83.00	91.30
		End Plate	DSEP16	13.50	14.90
		Shorting Link	SSL16	50.00	-
		Marker	LabelKN12	10.00(5 labels)	-
		CE			


DST 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ²	Terminal	DST 4	16.80	18.50
		End Plate	DSEP4	6.50	7.20
		Shorting Link	SSL4	14.00	-
		Marker	LabelKN5.5	8.00	-
		CECC			


DST 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ²	Terminal	DST 10	63.00	69.30
		End Plate	DSEP10	8.40	9.30
		Shorting Link	SSL10	31.50	-
		Marker	LabelKN10	10.00	-
		CECC			


DST 35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 35 mm ²	Terminal	DST 35	305.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	SSL35	65.00	-
		Marker	LabelKN17	11.00(5 labels)	-
		CE			


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




DST 2.5 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 2.5-1x2	23.50	25.90
	Voltage: 800 V	End Plate	DSMP2.5-1x2	7.00	7.70
	Current: 24 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	CE				

DST 4 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 4-1x2	32.00	35.20
	Voltage: 800 V	End Plate	DSMP4-1x2	7.90	8.70
	Current: 32 A	Shorting Link	SSL4	14.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	CE				


DST 6 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 6-1x2	70.00	77.00
	Voltage: 800 V	End Plate	DSMP6-1x2	9.80	10.80
	Current: 41 A	Shorting Link	SSL6	22.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	CE				


DST 16 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 16-1x2	140.00	On Request
	Voltage: 1000 V	End Plate	DSMP16-1x2	11.00	On Request
	Current: 76 A	Shorting Link	SSL16	50.00	-
	Wire Size: 16 mm ²	Marker	LabelKN12	10.00 (5 labels)	-
	CE				


DST 2.5 - 2C2P				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 2.5-2C2P	85.00	On Request
	Voltage: 500 V	End Plate	DSMP2.5-2C2P	14.00	On Request
	Current: 24 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	CE				


SCT 2.5 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT 2.5	9.70	10.70
	Voltage: 800 V	End Plate	SEP2.5	5.00	5.50
	Current: 24 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	CE				

SCT 6 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT 6	44.00	48.40
	Voltage: 800 V	End Plate	SEP6	7.00	7.70
	Current: 41 A	Shorting Link	SSL6	22.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-
	CE				

DST 2.5 - 2x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 2.5-2x2	25.00	27.50
	Voltage: 1000 V	End Plate	DSMP2.5-2x2	7.50	8.30
	Current: 17.5 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	CE				

DST 4 - 2x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 4-2x2	36.50	40.20
	Voltage: 800 V	End Plate	DSMP4-2x2	9.50	10.50
	Current: 32 A	Shorting Link	SSL4	14.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	CE				

DST 10 - 1x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 10-1x2	110.00	On Request
	Voltage: 1000 V	End Plate	DSMP10-1x2	10.80	On Request
	Current: 57 A	Shorting Link	SSL10	31.50	-
	Wire Size: 10 mm ²	Marker	LabelKN10	10.00	-
	CE				


DST 2.5 - 2C1P				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST 2.5-2C1P	80.00	On Request
	Voltage: 500 V	End Plate	DSMP2.5-2C1P	12.00	On Request
	Current: 24 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-
	CE				

DST 2.5 - 2C1PP				Std. Colour	Non Std. Colour
	DST 2.5 2C1PP - 2 Way			40.00	On Request
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P				

SCT 4 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT 4	15.40	17.00
	Voltage: 800 V	End Plate	SEP4	5.50	6.10
	Current: 32 A	Shorting Link	SSL4	14.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	8.00	-
	CE				

SCT 10 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT 10	45.00	49.50
	Voltage: 800 V	End Plate	SEP10	8.00	8.80
	Current: 57 A	Shorting Link	SSL10	31.50	-
	Wire Size: 10 mm ²	Marker	LabelKN 10	10.00	-
	CE				


Spring Clamp Terminals - Component Housing


DSDD 2.5 CA1 / CC2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDD 2.5 CA1	75.00	On Request
	Voltage: 800 V		DSDD 2.5 CC2	75.00	On Request
	Current: 24 A	End Plate	DPDD2.5	9.50	10.50
	Wire Size: 2.5 mm ²	Shorting Link	Not Required	-	-
	CE	Marker	LabelKN5.5	8.00	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Terminals - Multi Level

DSDD 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDD 2.5	29.00	31.90
	Voltage: 800 V	End Plate	DPDD2.5	9.50	10.50
	Current: 24 A	Shorting Link	SSL4	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-

DS3L 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS3L 2.5	88.00	On Request
	Voltage: 500 V	End Plate	DSEP3	25.00	On Request
	Current: 20 A	Shorting Link	SSL4	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	8.00	-

DSDDM 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDDM 2.5	28.00	On Request
	Voltage: 800 V	End Plate	DSDD2.5EP	9.00	On Request
	Current: 20 A	Shorting Link	SSL4	14.00	-
	Wire Size: 2.5 mm ²				

DS8L P16 / P32				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS8L P16	On Request	On Request
	Voltage: 250 V		DS8L P32	On Request	On Request
	Current: 10 A	End Plate	DSEP8	On Request	On Request
	Wire Size: 1.5 mm ²	Marker	LabelKN7.5	16.00	-


Spring Clamp Terminals - Fuse

DCF 4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF4	59.00	64.90
	Voltage: 800 V	End Plate	DFEP	11.60	12.80
	Current: 10 A	Shorting Link	SSL4	14.00	-
	Wire Size: 4 mm ²	Marker	LabelKN8	9.00	-


SCF 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCF 6	210.00	On Request
	Voltage: 800 V	End Plate	SFEP6	9.00	On Request
	Current: 10 A	Shorting Link	SSL4	14.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-


DCF 4D* / 4A*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF 4D	78.00	85.80
	Voltage: 800 V		DCF 4A	83.00	91.30
	Current: 10 A	End Plate	DFEP	11.60	12.80
	Wire Size: 4 mm ²	Shorting Link	SSL4	14.00	-
		Marker	LabelKN8	9.00	-

Spring Clamp Terminals - Test Disconnect


DSDT 2.5 WOSL				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT 2.5 WOSL	39.00	On Request
	Voltage: 1000 V	End Plate	DPDT2.5WOSL	7.40	On Request
	Current: 17.5 A	Shorting Link	Not Required	-	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-


DSDT 2.5 - 2x2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT 2.5 - 2x2	45.00	49.50
	Voltage: 1000 V	End Plate	DPMPT2.5	10.50	11.60
	Current: 17.5 A	Shorting Link	Not Required	-	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-

DSDT 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT 2.5	42.00	46.20
	Voltage: 1000 V	End Plate	DPDT2.5	7.40	8.20
	Current: 17.5 A	Shorting Link	SSL2.5	8.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	8.50	-

DSCDT 6 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSCDT 6	115.00	On Request
	Voltage: 400 V	End Plate	DSEPDT6	15.00	On Request
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN8	9.00	-

Spring Clamp Distribution Blocks

DTB35 - 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB 35-10	175.00	On Request
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SLC17.5	45.00	-
	Wire Size: 1C-35 mm ² OG - 10 mm ²	Marker	LabelKN12	10.00 (5 labels)	-

DTB35 - 10x4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB 35-10x4	220.00	On Request
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	Not Required	-	-
	Wire Size: 1C-35 mm ² OG - 10 mm ²	Marker	LabelKN12	10.00 (5 labels)	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Terminals - Earthing Type

DSET 2.5			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET 2.5	64.50
		End Plate	DSEP2.5(Gr)	7.10
		Shorting Link	Not Required	-
		Marker	LabelKN5	8.50

DSET 6			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 6 mm ²	Terminal	DSET 6	125.00
		End Plate	DSEP6(Gr)	8.90
		Shorting Link	Not Required	-
		Marker	LabelKN8	9.00

DSET 2.5 - 1x2			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET 2.5-1x2	95.00
		End Plate	DSMP2.5-1x2(Gr)	8.90
		Shorting Link	Not Required	-
		Marker	LabelKN5	8.50

DSET 4			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ²	Terminal	DSET 4	65.50
		End Plate	DSEP4(Gr)	8.30
		Shorting Link	Not Required	-
		Marker	LabelKN5.5	8.00

DSET 10			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 10 mm ²	Terminal	DSET 10	158.00
		End Plate	DSEP10(Gr)	10.70
		Shorting Link	Not Required	-
		Marker	LabelKN10	10.00

DSET 2.5 - 2x2			Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET 2.5-2x2	99.00
		End Plate	DSMP2.5-2x2(Gr)	9.60
		Shorting Link	Not Required	-
		Marker	LabelKN10	10.00

Spring Clamp Micro Terminals - (15mm Rail Mounted)

MCT 2.5MC			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT 2.5MC	11.00
		End Plate	MEP2.5MC	5.80
		Shorting Link	MSL2.5	12.00
		Marker	LabelKN5.5	8.00

SCT 2.5MC			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	SCT 2.5MC	11.00
		End Plate	SEP2.5	5.00
		Shorting Link	SSL2.5	8.00
		Marker	LabelKN5	8.50

Spring Clamp Micro Terminals - Panel Mounted

MCT 1.5			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm ²	Terminal	MCT 1.5	6.30
		End Plate	MEP1.5	3.40
		Shorting Link	MSL1.5	12.00
				7.00

MCT 2.5			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT 2.5	7.10
		End Plate	MEP2.5	3.60
		Shorting Link	MSL2.5	12.00
		Marker	LabelKN5.5	8.00

MCT 2.5P4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT 2.5P4	13.50
		End Plate	MEP2.5	3.60
		Shorting Link	MSL2.5	12.00
		Marker	LabelKN10	10.00

MCT 4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT 4	11.80
		End Plate	MEP4	7.00
		Shorting Link	MSL4	16.00
		Marker	LabelKN6.5	8.50

MCT 4P4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT 4P4	21.50
		End Plate	MEP4	7.00
		Shorting Link	MSL4	16.00
		Marker	LabelKN12	10.00(5 labels)

Spring Clamp Terminal

DMCT 2.5P4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DMCT 2.5P4	25.00
		End Plate	DMEP2.5P4	7.00
		Marker	LabelKN4.75	8.50
				On Request

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Plug & Socket Terminals

DPSC 5.08 (Wire to Wire)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²	Terminal	DPSC 5.08WW(2Way)	70.00 On Request
		DPSC 5.08WW(3Way)	105.00 On Request
		DPSC 5.08WW(4Way)	140.00 On Request
		DPSC 5.08WW(5Way)	175.00 On Request
		DPSC 5.08WW(6Way)	210.00 On Request
		DPSC 5.08WW(8Way)	280.00 On Request

DPSC 7.50 (Wire to Wire)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 16 A Wire Size: 2.5 mm²	Terminal	DPSC7.5WW(2Way)	83.00 On Request
		DPSC7.5WW(4Way)	166.00 On Request
		DPSC7.5WW(6Way)	249.00 On Request
		DPSC7.5WW(8Way)	332.00 On Request

DPSC 5.08 (Panel Mounted)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²	Terminal	DPSC 5.08PM(2Way)	73.00 On Request
		DPSC 5.08PM(3Way)	109.50 On Request
		DPSC 5.08PM(4Way)	146.00 On Request
		DPSC 5.08PM(5Way)	182.50 On Request
		DPSC 5.08PM(6Way)	219.00 On Request
		DPSC 5.08PM(8Way)	292.00 On Request

DPSC 7.50 (Panel Mounted)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²	Terminal	DPSC7.5PM(2Way)	85.00 On Request
		DPSC7.5PM(4Way)	170.00 On Request
		DPSC7.5PM(6Way)	255.00 On Request
		DPSC7.5PM(8Way)	340.00 On Request

Lighting Pole Terminals

LPT 225		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²	Terminal	LPT 225	74.50 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	10.00 -

LPT 325		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²	Terminal	LPT 325	112.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	10.00 -

LPT 235		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²	Terminal	LPT 235	176.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	10.00 -

LPT 335		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²	Terminal	LPT 335	235.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	10.00 -

Neutral Links

KNL 4		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 4 mm² Torque: 0.8 Nm	Terminal	KNL 4 12.50
	Bus-Bar (6 mm x 6 mm)	KNLB 6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB 10 On Request
	End Support (Panel Mounted)	KNLSUP 12.00
	End Support (Rail Mounted)	SCNL 22.00
	Marker	LabelKN6.5 8.50

KNL 35		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm	Terminal	KNL 35 28.50
	Bus-Bar (6 mm x 6 mm)	KNLB 6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB 10 On Request
	End Support (Panel Mounted)	KNLSUP 12.00
	End Support (Rail Mounted)	SCNL 22.00
	Marker	LabelKN10 10.00

KNL 16		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 1.2 Nm	Terminal	KNL 16 16.50
	Bus-Bar (6 mm x 6 mm)	KNLB 6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB 10 On Request
	End Support (Panel Mounted)	KNLSUP 12.00
	End Support (Rail Mounted)	SCNL 22.00
	Marker	LabelKN8 9.00

PCB Connectors

PUT 2.5 (7.5 mm Pitch)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 15 A Wire Size: 0.5-2.5 mm² Torque: 0.5 Nm	Terminal	PUT 2.5	12.50 On Request
	End Plate	-	-
	Shorting Link	-	-
	Marker	LabelKN12	10.00(5 labels) -

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Melamine

elmex

Feed Through Terminals

CST 2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST 2.5	12.50	13.80
		End Plate	EPX	6.50	7.20
		Shorting Link	CCLA2.5	13.00	-
		Marker	LabelKN6.5	8.50	-

CST 10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CST 10	21.00	23.10
		End Plate	EPX	6.50	7.20
		Shorting Link	CCLA10	15.00	-
		Marker	LabelKN10	10.00	-

CST 25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST 25	50.00	55.00
		End Plate	EPT	12.50	13.80
		Shorting Link	CCLA25	20.00	-
		Marker	LabelKN12	10.00(5 labels)	-

CST 70				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 192 A Wire Size: 70 mm ² Torque: 6 Nm	Terminal	CST 70	400.00	On Request
		End Plate	EP70	70.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN17	11.00(5 labels)	-


CST 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST 6	15.50	17.10
		End Plate	EPX	6.50	7.20
		Shorting Link	CCLA6	14.00	-
		Marker	LabelKN6.5	8.50	-

CST 16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm	Terminal	CST 16	35.00	38.50
		End Plate	EPY	12.00	13.20
		Shorting Link	CCLA16	17.50	-
		Marker	LabelKN10	10.00	-


CST 35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm	Terminal	CST 35	80.00	88.00
		End Plate	EPZ	13.00	14.30
		Shorting Link	CCLA35	24.20	-
		Marker	LabelKN12	10.00(5 labels)	-

CST 185				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm	Terminal	CST 185	800.00	On Request
		End Plate	EP185	110.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN17	7.00 (5 labels)	-

Spring Loaded Terminals

CST 2.5WS				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST 2.5WS	20.00	On Request
		End Plate	EPX	6.50	7.20
		Shorting Link	CCLA2.5	13.00	-
		Marker	LabelKN6.5	8.50	-

CSLT 1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CSLT 1	40.00	On Request
		End Plate	EPSL	11.50	12.70
		Shorting Link	CCLA1L	20.00	-
		Marker	LabelKN10	10.00	-

CST 6WS				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST 6WS	35.00	On Request
		End Plate	EPX	6.50	7.20
		Shorting Link	CCLA6	14.00	-
		Marker	LabelKN6.5	8.50	-

Stud Type Terminals (Screw Driver Operated)

CAT M3				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CAT M3	32.00	35.20
		End Plate	EPS4	8.50	9.40
		Shorting Link	ASL1	19.00	-
		Marker	LabelKN6.5	8.50	-

CAT M5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CAT M5	50.00	55.00
		End Plate	EPS4	8.50	9.40
		Shorting Link	ADSL	20.00	-
		Marker	LabelKN8	9.00	-

CAT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CAT M4	36.50	40.20
		End Plate	EPS4	8.50	9.40
		Shorting Link	ADSL	20.00	-
		Marker	LabelKN8	9.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Melamine



Stud Type Terminals (Nut Driver Operated)

CBT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CBT M4	37.50	41.30
		End Plate	EPS4	8.50	9.40
		Shorting Link	KSL5	22.00	-
		Marker	LabelKN6.5	8.50	-

CBT M6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	CBT M6	64.00	70.40
		End Plate	EPS4	8.50	9.40
		Shorting Link	BSL6	25.30	-
		Marker	LabelKN8	9.00	-

CBT M5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CBT M5	46.00	50.60
		End Plate	EPS4	8.50	9.40
		Shorting Link	KSL5	22.00	-
		Marker	LabelKN6.5	8.50	-

CBT M6S1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBT M6S1	105.00	On Request
		End Plate	EPS5/6	12.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	9.00	-


Stud Type Terminals (Screw & Nut Driver Operated)


CABT M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CABT M4	37.00	40.70
		End Plate	EPS4	8.50	9.40
		Shorting Link	ADSL	20.00	-
		Marker	LabelKN8	9.00	-


Plug & Socket Terminal

PSC 1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 600 V Current: 25 A Per Contact Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	PSC 1/5	270.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	Not Available	-	-
		Marker	Not Required	-	-

Test - Disconnect Terminals

CATD M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CATD M4	68.00	74.80
		End Plate	EPD4	13.20	14.60
		Shorting Link	ADSL	20.00	-
		Marker	LabelKN5.5	8.00	-

CLTD M4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 45 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CLTD M4	65.00	71.50
		End Plate	EPLD4	13.50	14.90
		Shorting Link	ADSL	20.00	-
		Marker	LabelKN5.5	8.00	-

CSTD 6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 38 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CSTD 6	55.00	60.50
		End Plate	EPTD	13.00	14.30
		Shorting Link	SLC6	20.00	-
		Marker	LabelKN6.5	8.50	-

Power Terminals

CBT 100				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 100 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBT 100	105.00	115.50
		End Plate	EPS5/6	12.00	13.20
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	9.00	-

CBT 110				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 30-35 mm ² Torque: 3 Nm	Terminal	CBT 110	154.00	169.40
		End Plate	BPA110	34.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	10.00	-

CBT 170				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT 170	245.00	269.50
		End Plate	BPA17/25	38.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	10.00	-

CBT 250				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT 250	290.00	319.00
		End Plate	BPA17/25	38.00	On Request
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	10.00	-

Price List for DIN Rail Mounted Terminals : Melamine



CBT 300			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT 300	360.00
		End Plate	BPA17/25	38.00
		Shorting Link	Not Available	-
		Marker	LabelKN10	10.00
				396.00

Power Terminals (With Tapped Current Bar)

CBT 110T			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm ² Torque: 3 Nm	Terminal	CBT 110T	165.00
		End Plate	BPA110	34.00
		Shorting Link	Not Available	-
		Marker	LabelKN10	10.00
				On Request

CBT 170T			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT 170T	240.00
		End Plate	BPA17/25	38.00
		Shorting Link	Not Available	-
		Marker	LabelKN10	10.00
				On Request


CBT 250T			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT 250T	320.00
		End Plate	BPA17/25	38.00
		Shorting Link	Not Available	-
		Marker	LabelKN10	10.00
				On Request


CBT 300T			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT 300T	450.00
		End Plate	BPA17/25	38.00
		Shorting Link	Not Available	-
		Marker	LabelKN10	10.00
				On Request

"C" Series Feed Through Terminals (Polyamide 6.6)

CUTM 2.5			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	CUTM 2.5	12.00
		End Plate	KPNS(Kh)	8.00
		Shorting Link	CCLM2.5	15.00
		Marker	LabelKN5.5	8.00
				On Request

CUT 4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CUT 4	14.00
		End Plate	EPX	6.50
		Shorting Link	CCLA2.5	13.00
		Marker	LabelKN6.5	8.50
				On Request

CUT 6			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CUT 6	17.00
		End Plate	EPX	6.50
		Shorting Link	CCLA6	14.00
		Marker	LabelKN6.5	8.50
				On Request

CUT 10			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CUT 10	19.00
		End Plate	EPX	6.50
		Shorting Link	CCLA 10	15.00
		Marker	LabelKN10	10.00
				On Request

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUTM 2.5	Elmex Electric	100	8.40	9.30
KUT 2.5	Elmex Electric	100	8.60	9.50
KUT 4	Elmex Electric	100	10.60	11.70
KST 4UWS	Elmex Electric	100	25.00	On Request
KUT 6	Elmex Electric	100	14.30	15.80
KST 6WS	Elmex Electric	100	34.00	On Request
KUT 10	Elmex Electric	100	18.10	20.00
KUT 16	Elmex Electric	100	33.50	36.90
KUT 25	Elmex Electric	100	55.00	60.50
KUT 35	Elmex Electric	50	75.00	82.50
KUT 50	Elmex Electric	10	220.00	242.00
KUT 95	Elmex Electric	10	360.00	On Request
KUT 4 - 1x2	Elmex Electric	100	25.00	27.50
KUT 4 - 2x2	Elmex Electric	100	35.00	38.50
Suitable For Spring Loaded Terminals				
KULT 4	Elmex Electric	100	28.00	30.80
KULT 6	Elmex Electric	100	30.00	33.00
KULT 1	Elmex Electric	100	39.00	42.90
Suitable For Earth Terminals				
ET 4	Elmex Electric	100	63.00	-
ET 6	Elmex Electric	50	74.00	-
ET 10	Elmex Electric	50	89.00	-
ET 16	Elmex Electric	50	106.00	-
ET 35	Elmex Electric	20	229.50	-
ET 50	Elmex Electric	20	540.00	-
Suitable For Thermocouple Terminals				
KUT 4NTCK	Elmex Electric	50	70.00	On Request
KUT 4NTCJ	Elmex Electric	50	92.00	On Request
KUT 4NTCT	Elmex Electric	50	92.00	On Request
KUT 4NTCE	Elmex Electric	50	92.00	On Request
Suitable For Double Deck Terminals				
KU2D 4	Elmex Electric	100	27.50	30.30
KU2D 4S	Elmex Electric	100	38.00	41.80
KUDD 4	Elmex Electric	100	31.00	34.10
Suitable For Triple Deck Terminals				
DU3D 4	Elmex Electric	100	72.00	On Request
DUSD 4	Elmex Electric	100	40.00	On Request
Suitable For Photovoltaic Terminals				
KUT 2.5N	Elmex Electric	100	10.50	11.60
KUT 4N	Elmex Electric	100	12.50	13.80
KUT 6N	Elmex Electric	100	14.50	16.00
KUT 10N	Elmex Electric	100	21.00	23.10
KUDD 4N	Elmex Electric	100	45.00	49.50
Suitable For Earth Terminals (N - Series)				
ETN 4	Elmex Electric	100	67.00	-
ETN 6	Elmex Electric	100	77.00	-
ETN 10	Elmex Electric	100	91.00	-
ETDD 4N	Elmex Electric	100	111.00	-
Suitable For Stud Type Terminals				
KAT M3	Elmex Electric	100	29.00	31.90
KAT M4	Elmex Electric	50	35.00	38.50
KAT M5	Elmex Electric	50	43.00	47.30
KAT M3C	Elmex Electric	50	36.00	On Request
KAT M4C	Elmex Electric	50	41.00	On Request
KAT M5C	Elmex Electric	50	49.00	On Request
KABT M3L / KABT M4	Elmex Electric	50	29.50 / 35.50	32.50/39.10
KBT M4	Elmex Electric	50	36.00	39.60
KBT M5-15	Elmex Electric	50	44.50	49.00
KBT M6	Elmex Electric	50	62.00	68.20
KBT M4C	Elmex Electric	50	42.00	On Request
KBT M5-15C	Elmex Electric	50	49.00	On Request
KBT M6C	Elmex Electric	50	68.00	On Request
KAT M3E	Elmex Electric	50	23.00	On Request
KAT M4E	Elmex Electric	50	25.00	On Request
KBT M4E	Elmex Electric	50	27.00	On Request
KBT M5E	Elmex Electric	50	30.50	On Request
KBT M6E	Elmex Electric	50	53.00	On Request
OAT2.5	Elmex Electric	50	37.50	41.30
OAT 6	Elmex Electric	50	45.50	50.10
OAT 25	Elmex Electric	50	105.00	115.50
Suitable For Fuse Terminals				
KUDF 4	Elmex Electric	100	39.00	42.90
KUDF 4	Elmex Electric	100	52.50	57.80

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
KUFH 4	Elmex Electric	100	78.00	85.80
KUFH 4D	Elmex Electric	100	88.00	96.80
KUFH 4A	Elmex Electric	100	89.00	97.90
UBDF 4	Elmex Electric	50	57.50	On Request
UBDF 4D	Elmex Electric	50	66.00	On Request
UBDF 4A	Elmex Electric	50	68.00	On Request
KUF 10	Elmex Electric	100	98.00	On Request
KUF 10D	Elmex Electric	100	110.00	On Request
KUF 10A	Elmex Electric	100	113.00	On Request
LED Kit (For UBDF 4)	Elmex Electric	100	22.00	-
Suitable For Fuse Feed Through Terminals				
KUDDF 4	Elmex Electric	100	79.50	87.50
KUDDF 4AD	Elmex Electric	100	93.00	102.30
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	73.00	On Request
PS8M - 3 Way	Elmex Electric	20	110.00	On Request
PS8M - 4 Way	Elmex Electric	20	146.00	On Request
PS8M - 5 Way	Elmex Electric	20	182.00	On Request
PS8M - 6 Way	Elmex Electric	20	220.00	On Request
PS8M - 7 Way	Elmex Electric	20	260.00	On Request
PS8M - 8 Way	Elmex Electric	20	300.00	On Request
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD M4	Elmex Electric	50	55.00	60.50
KLTD M4 - 2W	Elmex Electric	25	130.00	On Request
KUTSD 6	Elmex Electric	50	52.00	57.20
KUTD 10	Elmex Electric	50	83.00	91.30
KULTD 6	Elmex Electric	50	102.00	112.20
OAT 6T	Elmex Electric	50	64.00	70.40
OAT 6DTS	Elmex Electric	40	75.00	82.50
OAT 6DTS - 2Way	Elmex Electric	20	160.00	On Request
OAT 10DTS	Elmex Electric	50	98.00	On Request
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD 4	Elmex Electric	100	38.50	42.40
KULTD 4WS	Elmex Electric	100	65.00	71.50
KUDT 4 - 2x2	Elmex Electric	100	68.00	74.80
KUDT 6	Elmex Electric	100	55.00	On Request
KUPTD 6	Elmex Electric	50	105.00	On Request
KUPTD 6S	Elmex Electric	50	110.00	On Request
KUPDS 6	Elmex Electric	50	75.00	On Request
Suitable For Power Terminals				
PAT 30	Elmex Electric	100	26.00	On Request
PAT 100	Elmex Electric	25	105.00	On Request
PAT 150	Elmex Electric	10	165.00	On Request
PAT 250	Elmex Electric	10	250.00	On Request
KBT 100	Elmex Electric	25	70.00	77.00
DPBB 50	Elmex Electric	10	135.00	148.50
DPBB 70	Elmex Electric	10	183.00	201.30
DPBB 120	Elmex Electric	10	285.00	313.50
DPBB 185N	Elmex Electric	10	620.00	On Request
DPBB 240	Elmex Electric	10	730.00	On Request
SPT 35	Elmex Electric	10	220.00	264.00
SPT 70	Elmex Electric	10	322.00	386.40
SPT 95	Elmex Electric	10	410.00	On Request
SPT 120	Elmex Electric	10	500.00	On Request
SPT 150	Elmex Electric	10	610.00	On Request
SPT 185	Elmex Electric	10	740.00	On Request
SPT 240	Elmex Electric	10	890.00	On Request
SPT 300	Elmex Electric	10	990.00	On Request
Suitable For Distribution Blocks				
DFBK 12	Elmex Electric	10	250.00	275.00
FDBK 3	Elmex Electric	10	60.00	On Request
FDBK 4	Elmex Electric	10	75.00	On Request
FDBK 5	Elmex Electric	10	90.00	On Request
FDBK 6	Elmex Electric	10	108.00	On Request
FDBK 8	Elmex Electric	10	140.00	On Request
FDBK 1x2	Elmex Electric	10	130.00	143.00
FDBK 1x4	Elmex Electric	10	155.00	170.50
FDBK 1x8	Elmex Electric	10	230.00	253.00
DBK 3	Elmex Electric	10	75.00	On Request
DBK 4	Elmex Electric	10	98.00	On Request
DBK 5	Elmex Electric	10	125.00	On Request

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK 6	Elmex Electric	10	150.00	On Request
DBK 8	Elmex Electric	10	175.00	On Request
DBK 1x2	Elmex Electric	10	150.00	165.00
DBK 1x4	Elmex Electric	10	205.00	225.50
DBK 1x8	Elmex Electric	10	290.00	319.00
DBK 150/16 - 1x2	Elmex Electric	10	520.00	On Request
DBK 150/16 - 1x4	Elmex Electric	10	580.00	On Request
DBK 150/16 - 1x8	Elmex Electric	10	700.00	On Request
DBK 150/25 - 1x2	Elmex Electric	10	580.00	On Request
DBK 150/25 - 1x4	Elmex Electric	10	670.00	On Request
DBK 150/25 - 1x8	Elmex Electric	10	850.00	On Request
DBK 150/M6C - 1x2	Elmex Electric	10	700.00	On Request
DBK 150/M6C - 1x4	Elmex Electric	10	800.00	On Request
DBK 150/M6C - 1x8	Elmex Electric	10	1000.00	On Request
DBD 16	Elmex Electric	10	260.00	On Request
DBD 35	Elmex Electric	10	360.00	On Request
Suitable For Component Housings				
KUDD 4 CC1	Elmex Electric	100	62.00	On Request
KUDD 4 CC2	Elmex Electric	100	62.00	On Request
KUDD 4 CA1	Elmex Electric	100	62.00	On Request
KUDD 4 CA2	Elmex Electric	100	62.00	On Request
KUDD 4 D1	Elmex Electric	100	62.00	On Request
KUDD 4 R	Elmex Electric	100	62.00	On Request
KUDD4 MOV	Elmex Electric	100	75.00	On Request
KPCH 4	Elmex Electric	50	70.00	On Request
CH 4	Elmex Electric	50	35.00	On Request
CH 4 R1	Elmex Electric	50	On Request	On Request
CH 4 D1	Elmex Electric	50	On Request	On Request
CH 4 MOV1	Elmex Electric	50	On Request	On Request
KPCH 6	Elmex Electric	50	80.00	On Request
CH 6	Elmex Electric	50	40.00	On Request
CH 6 R1	Elmex Electric	50	On Request	On Request
CH 6 D1	Elmex Electric	50	On Request	On Request
CH 6 MOV1	Elmex Electric	50	On Request	On Request
Suitable For Micro Terminals				
SUT 1.5	Elmex Electric	100	12.00	On Request
SUT 4	Elmex Electric	100	9.40	10.40
CET 4	Elmex Electric	100	15.00	On Request
MBT 4	Elmex Electric	100	18.00	On Request
SET 4	Elmex Electric	100	45.00	-
PET 4	Elmex Electric	100	12.00	13.20
PBT M3 / PBT M4	Elmex Electric	100	8.50/9.50	On Request
Suitable For Spring Clamp Terminals				
DST 2.5	Elmex Electric	100	10.30	11.40
DST 4	Elmex Electric	100	16.80	18.50
DST 6	Elmex Electric	100	33.00	36.30
DST 10	Elmex Electric	100	63.00	69.30
DST 16	Elmex Electric	50	83.00	91.30
DST 35	Elmex Electric	20	305.00	On Request
SCT 2.5	Elmex Electric	100	9.70	10.70
SCT 4	Elmex Electric	100	15.40	17.00
SCT 6	Elmex Electric	100	44.00	48.40
SCT10	Elmex Electric	100	45.00	49.50
DST 2.5 - 1x2	Elmex Electric	100	23.50	25.90
DST 2.5 - 2x2	Elmex Electric	100	25.00	27.50
DST 4 - 1x2	Elmex Electric	100	32.00	35.20
DST 4 - 2x2	Elmex Electric	100	36.50	40.20
DST 6 - 1x2	Elmex Electric	100	70.00	77.00
DST 10 - 1x2	Elmex Electric	100	110.00	On Request
DST 16 - 1x2	Elmex Electric	100	140.00	On Request
DST 2.5 - 2C1P	Elmex Electric	100	80.00	On Request
DST 2.5 - 2C2P	Elmex Electric	100	85.00	On Request
DSDD 2.5	Elmex Electric	100	29.00	31.90
DSDDM 2.5	Elmex Electric	100	28.00	On Request
DS3L 2.5	Elmex Electric	100	88.00	On Request
DS8L P16	Elmex Electric	100	On Request	On Request
DS8L P32	Elmex Electric	10	On Request	On Request
DSDT 2.5	Elmex Electric	100	42.00	46.20
DSDT 2.5 WOSL	Elmex Electric	100	39.00	On Request
DSDD 2.5 CA1	Elmex Electric	100	75.00	On Request
DSDD2.5 CC2	Elmex Electric	100	75.00	On Request

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DSDT 2.5 - 2x2	Elmex Electric	100	45.00	49.50
DSCDT 6	Elmex Electric	100	115.00	On Request
DCF 4	Elmex Electric	50	59.00	64.90
DCF 4D	Elmex Electric	50	78.00	85.80
DCF 4A	Elmex Electric	50	83.00	91.30
SCF 6	Elmex Electric	50	210.00	On Request
SCT 2.5MC	Elmex Electric	100	11.00	On Request
MCT 2.5MC	Elmex Electric	100	11.00	On Request
DSET 2.5	Elmex Electric	100	64.50	On Request
DSET 4	Elmex Electric	100	65.50	On Request
DSET 6	Elmex Electric	100	125.00	On Request
DSET 10	Elmex Electric	100	158.00	On Request
DSET 2.5 - 1x2	Elmex Electric	100	95.00	On Request
DSET 2.5 - 2x2	Elmex Electric	100	99.00	On Request
MCT 1.5	Elmex Electric	100	6.30	7.00
MCT 2.5	Elmex Electric	100	7.10	7.90
MCT 2.5P4	Elmex Electric	100	13.50	14.90
MCT 4	Elmex Electric	100	11.80	13.00
MCT 4P4	Elmex Electric	100	21.50	23.70
DMCT 2.5P4	Elmex Electric	100	25.00	On Request
DTB 35 - 10	Elmex Electric	10	175.00	On Request
DTB 35 - 10 x 4	Elmex Electric	10	220.00	On Request
DPSC 5.08WW (2 Way)	Elmex Electric	20	70.00	On Request
DPSC 5.08PM (2 Way)	Elmex Electric	20	73.00	On Request
DPSC 7.5WW (2 Way)	Elmex Electric	20	83.00	On Request
DPSC 7.5PM (2 Way)	Elmex Electric	20	85.00	On Request
Suitable For Neutral Links				
KNL 4	Elmex Electric	50	12.50	-
KNL 16	Elmex Electric	50	16.50	-
KNL 35	Elmex Electric	50	28.50	-
KNL B6 (6 x 6 Current Bar)	Elmex Electric	10	On Request	-
KNLB 10 (10 x 3 Current Bar)	Elmex Electric	10	On Request	-
SCNL	Elmex Electric	50	22.00	-
KNLSUP	Elmex Electric	50	12.00	-
Suitable For Lighting Pole Terminals				
LPT 225	Elmex Electric	100	74.50	On Request
LPT 235	Elmex Electric	100	176.00	On Request
LPT 325	Elmex Electric	100	112.00	On Request
LPT 335	Elmex Electric	100	235.00	On Request
Suitable For PCB Connectors				
PUT 2.5 (G)	Elmex Electric	100	12.50	On Request
Suitable For Feed Through Terminals				
CST 2.5	Elmex Controls	100	12.50	13.80
CST 6	Elmex Controls	100	15.50	17.10
CST 10	Elmex Controls	100	21.00	23.10
CST 16	Elmex Controls	100	35.00	38.50
CST 25	Elmex Controls	100	50.00	55.00
CST 35	Elmex Controls	50	80.00	88.00
CST 70	Elmex Controls	5	400.00	On Request
CST 185	Elmex Controls	5	800.00	On Request
Suitable For Spring Loaded Terminals				
CST 2.5WS	Elmex Controls	100	20.00	On Request
CST 6WS	Elmex Controls	100	35.00	On Request
CSLT 1	Elmex Controls	100	40.00	On Request
Suitable For Stud Type Terminals				
CAT M3	Elmex Controls	50	32.00	35.20
CAT M4	Elmex Controls	50	36.50	40.20
CAT M5	Elmex Controls	50	50.00	55.00
CBT M4	Elmex Controls	50	37.50	41.30
CBT M5	Elmex Controls	50	46.00	50.60
CBT M6	Elmex Controls	50	64.00	70.40
CBT M6S1	Elmex Controls	50	105.00	On Request
CABT M4	Elmex Controls	50	37.00	40.70
Suitable For Plug and Socket				
PSC 1/5	Elmex Controls	20	270.00	On Request
Suitable For Test - Disconnect Terminals				
CATD M4	Elmex Controls	50	68.00	74.80
CLTD M4	Elmex Controls	50	65.00	71.50
CSTD 6	Elmex Controls	50	55.00	60.50

*DPSC5.08 & DPSC7.50 - 3W, 4W, 5W, 6W, 8W Prices are shown on page 21

Price List for Terminals: Melamine



PRICE LIST FOR TERMINALS: MELAMINE

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Power Terminal				
CBT 100	Elmex Controls	10	105.00	115.50
CBT 110	Elmex Controls	10	154.00	169.40
CBT 170	Elmex Controls	10	245.00	269.50
CBT 250	Elmex Controls	10	290.00	319.00
CBT 300	Elmex Controls	10	360.00	396.00
CBT 110T	Elmex Controls	10	165.00	On Request
CBT 170T	Elmex Controls	10	240.00	On Request
CBT 250T	Elmex Controls	10	320.00	On Request
CBT 300T	Elmex Controls	10	450.00	On Request
CUTM 2.5	Elmex Electric	100	12.00	On Request
CUT 4	Elmex Electric	100	14.00	On Request
CUT 6	Elmex Electric	100	17.00	On Request
CUT 10	Elmex Electric	100	19.00	On Request
CUDD 4	Elmex Electric	100	35.00	On Request
CUDD 4S	Elmex Electric	100	45.00	On Request

Price List for Accessories

MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C-Series Terminals					
300mm Length	Elmex Controls	CHS 3	-	51.00	58.00
500mm Length	Elmex Controls	CHS 5	-	72.00	83.00
1000mm Length (1 Meter)	Elmex Controls	CHS 10	-	144.00	160.00
2000mm Length (2 Meter)	Elmex Controls	CHS 20	-	288.00	320.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK 3	-	32.50	37.00
500mm Length	Elmex Electric	CHK 5	-	44.00	53.00
1000mm Length (1 Meter)	Elmex Electric	CHK 10	-	88.00	92.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS 10	-	95.00	105.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD 10	-	160.00	165.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS 10	-	175.00	180.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	37.00	42.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	75.00	80.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	6.00	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	8.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	6.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	8.50	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	15.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	10.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	16.50	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	22.00	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	20.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	9.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN 10 (POLYAMIDE 6.6)	100	9.50	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	8.00	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	16.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT 2.5EF-15	100	9.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT 2.5EF	100	9.50	-
Centre Foot Suitable for 35mm Rail for MCT 2.5	Elmex Electric	MCT 2.5CF	100	9.50	-
Centre Foot Suitable for 35mm Rail for MCT 4	Elmex Electric	MCT 4CF	100	10.00	-

Price List for Accessories



MARKING LABELS Snap -On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) For Printed
For Terminal Type					
DMCT 2.5P4	LABEL KN 4.75	Elmex Electric	100	7.50	8.50
KUTM 2.5, SUT 1.5, DST 2.5, DST 2.5-2C1P, DST 2.52C2P, SCT 2.5, DCT 2.5-1x2, DCT 2.5-2x2, DST 2.5-1x2, DST 2.5-2x2, DSDPT 2.5, DSDT 2.5, DSDT 2.5-2x2, DET 2.5-1x2, DET 2.5-2x2, SCT 2.5MC	LABEL KN 5	Elmex Electric	100	7.50	8.50
KUT 2.5, KULT 4, ET 4, KUT 4NTCK, KUT 4NTCJ, KUT 4NTCT, KUT 4NTCE, KU2D 4, KU2D 4S, KUDD 4, DU3D 4, DUSD 4, KLTD 4, KULTD 4, KULTD 4WS, DBK 2.5, SUT 4, DST 4, SCT 4, DSET 4, MCT 2.5, DST 4-1x2, DST 4-2x2, DSDDM 2.5, DSDD 2.5, KUT 4-1x2, KUT 4-2x2, SET 4, KPCH 4, ETDD 4N, KUDD 4-2x2, MCT 2.5MC, DBP 4-10W, DBM 4-10W, DS3L 2.5, CST 35, CATD M4, CLTD M4, CUTM 2.5, CUDD 4, CUDD 4S	LABEL KN 5.5	EC/EE	100	7.00	8.00
KUT 4, KST 4UWS, ET 6, KAT M3, KAT M4, KAT M5, KBT M4, KABT M4, KBT M5-15, KBT M6, OAT 2.5, PS8M, FDBK 3, FDBK 4, FDBK 5, FDBK 6, FDBK 8, FDBK 1x2, FDBK 1x4, FDBK 1x8, FDBK 12, CET 4, NET 4, MCT 4, KNL 4, CST 2.5, CST 6, CST 2.5WS, CST 6WS, CAT M3, CBT M4, CBT M5, CSTD 6, CUT 4, CUT 6	LABEL KN 6.5	EC/EE	100	7.50	8.50
DS8L P16, DS8L P32	LABEL KN 7.5	Elmex Electric	100	11.00	16.00
KUT 6, KST 6WS, KULT 6, KUDF 4, KUDF 4AD, KUDDF 4, KUDDF 4AD, KUTSD 6, KUTD 10, KULTD 6, DST 6, DCF 4, DCF 4D, DCF 4A, DST 6-1x2, DSET 6, KNL 16, DSCT 6, DSCDT 6, KUPTD 6, KUPTD 6S, KUPDS 6, PAT 30, PAT 100, PAT 150, PAT 250, KUDD 6, SCT 6, CAT M4, CAT M5, CBT M6, CBT M6S1, CBT 100, CABT M4	LABEL KN 8	EC/EE	100	8.00	9.00
OAT 6, OAT 6T, KUFH 4, KUFH 4D, KUFH 4A, OAT 6DTS, OAT 6DTS-2W	LABEL KN 9	Elmex Electric	100	8.00	9.00
KUT 10, KULT 1, KAT M4C, KAT M5C, KBT M4C, DPBB 50, DPBB 70, DPBB 120, DPBB 185N, DPBB 240, DFBK 12, DBK 3, DBK 4, DBK 6, DBK 8, DBK 1x2, DBK 1x4, DBK 1x8, DST 10, LPT 225, LPT 325, KNL 35, DSET 10, MCT 2.5P4, CST 10, CST 16, CSLT 1, CBT 110, CBT 170, CBT 250, CBT 300, CBT 110T, CBT 170T, CBT 250T, CBT 300T, CUT 10	LABEL KN 10	EC/EE	100	9.00	10.00
KUT 16, KUT 25, ET 16, ET 35, KBT M5-15C, KUF 10, KUF 10D, KUF 10A, DBK 150/16 Series, DBK 150/25 Series, DST 16, DTB 34-10, DTB 35-1x3, DTB 35-1x4, MCT 2.5P4, LPT 235, LPT 335, DBD 16, DBD 35, MCT 4P4, SPT 35, SPT 70, SPT 95, SPT 120, SPT 185, SPT 240, SPT 300, CST 25	LABEL KN 12	EC/EE	100	8.00 (For 5 label Strip)	10.00 (For 5 label Strip)
KUT 35, KUT 50, KUT 95, ET 50, KBT M6C, CST 70, CST 185	LABEL KN 17	Elmex Electric	100	9.00(For 5 label Strip)	11.00(For 5 label Strip)
MBT 4, UBT 2.5, UBT 4, UBDD 4, UBT 4TWIN, EBT 2.5, EBT 4, EBT 4TWIN	LABEL U6	Elmex Electric	100	12.00	18.00
UBT 6, EBT 6	LABEL U8	Elmex Electric	100	13.00	15.00
UBDF 4, UBDF 4D, UBDF 4A	LABEL U8.25	Elmex Electric	100	13.00	15.00
UBT 10	LABEL U10	Elmex Electric	100	15.00	17.00

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUTM 2.5, KUT 2.5, CST 2.5WS, CUT 4	WL 2.5	Elmex Electric	10	On Request
KUT 4, KST 4UWS, KUT 4N, CST 2.5	WL 4	Elmex Electric	10	On Request
KUT 6, KST 6WS, CST 6, CUT 6	WL 6	Elmex Electric	10	On Request
KUT 10, CST 10, CUT 10	WL 10	Elmex Electric	10	On Request
KUT 16, KUT 25, CST 16	WL 16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Controls	-	25.00
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	15.00
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	22.00
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	25.00

Price List for Accessories



END PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM 2.5, KUT 2.5	Elmex Electric	KPNS	100	5.00	5.50
KUT 4, KST 4UWS, KUT 6, KUT 10	Elmex Electric	KPX	100	5.50	6.10
KUT 4 - 1x2	Elmex Electric	KPM4	100	10.50	11.60
KUT 4 - 2x2, KUDD 4 - 2x2	Elmex Electric	KPMD4	100	14.50	16.00
KST 6WS	Elmex Electric	KSP6WS	100	11.00	On Request
KUT 16	Elmex Electric	KPY	100	8.40	9.30
KUT 25	Elmex Electric	KPT	100	8.40	9.30
KU2D 4, KU2D 4S	Elmex Electric	EPDD4	100	10.50	11.60
KUDD 4, KUDD 4CC1, KUDD 4CC2, KUDD 4CA1, KUDD 4CA2, KUDD 4D1, KUDD 4R, KUDD 4MOV	Elmex Electric	KPDD	100	10.50	11.60
DUD 4	Elmex Electric	DP3D	100	14.00	On Request
DUSD 4	Elmex Electric	DPSD	100	10.00	On Request
KULT 4, KULT 6, KULT 1	Elmex Electric	KPSL	100	10.50	11.60
KUT 2.5N, KUT 4N, KUT 6N, KUT 10N, KUT 4NTCK, KUT 4NTCJ, KUT 4NTCT, KUT 4NTCE	Elmex Electric	KPXN	100	7.50	8.30
KUDD 4N, ETDD 4N	Elmex Electric	KPDDN	100	15.00	16.50
KAT M3, KAT M4, KAT M5, KBT M4, KBT M5-15, KBT M6, KABT M4	Elmex Electric	KPS4	100	9.00	9.90
KBTM6E	Elmex Electric	KPS6	100	12.00	On Request
OAT 2.5	Elmex Electric	OEP2.5	100	8.40	9.30
OAT 6	Elmex Electric	OEP6	100	9.50	10.50
OAT 25	Elmex Electric	OEP25	100	12.00	13.20
OAT 6T	Elmex Electric	OEP6T	100	13.00	14.30
OAT 6DTS, OAT 6DTS - 2W	Elmex Electric	OEP6DTS	100	13.50	14.90
OAT 10DTS	Elmex Electric	OEP10DTS	100	15.50	On Request
KUF 10, KUF 10D, KUF 10A	Elmex Electric	EPF10	100	15.00	On Request
KUFH 4, KUFH 4D, KUFH 4A	Elmex Electric	EPFH	100	11.00	12.00
KLTD M4NV	Elmex Electric	KPLD4	100	12.00	13.20
KUTSD 6NV	Elmex Electric	KPSD	100	11.00	12.10
KUTD 10NV	Elmex Electric	KPTD	100	12.50	13.80
KULTD 6	Elmex Electric	KPSLD	100	12.00	13.20
KULTD 4, KULTD 4WS, KPCH 4, KUDT 6	Elmex Electric	KPSD4	100	9.50	10.50
KBT 100	Elmex Electric	KPS100	100	11.00	12.10
KUPTD 6, KUPTD 6S	Elmex Electric	KPPDS	100	13.00	On Request
DSCDT 6	Elmex Electric	DSEPDT6	100	15.00	On Request
KUPDS 6	Elmex Electric	KPDS	100	12.00	On Request
DS3L 2.5	Elmex Electric	DSEP3	100	25.00	On Request
DS8L P16, DS8L P32	Elmex Electric	DSEP8	100	On Request	On Request
SUT 1.5	Elmex Electric	ES2	100	10.00	On Request
SUT 4	Elmex Electric	ES4	100	5.50	6.10
CET 4	Elmex Electric	EPM	100	9.00	On Request
MBT 4	Elmex Electric	MP1	100	9.00	On Request
PET 4	Elmex Electric	EPP	100	7.50	8.25
DST 2.5	Elmex Electric	DSEP2.5	100	5.50	6.10
DST 4, DSET 4	Elmex Electric	DSEP4	100	6.50	7.20
DST 6, DSET 6	Elmex Electric	DSEP6	100	7.00	7.70
DST 10, DSET 10	Elmex Electric	DSEP10	100	8.40	9.30
DST 16	Elmex Electric	DSEP16	100	13.50	14.90
SCT 2.5, SCT 2.5MC	Elmex Electric	SEP2.5	100	5.00	5.50
SCT 4	Elmex Electric	SEP4	100	5.50	6.10
SCT 6	Elmex Electric	SEP6	100	7.00	7.70
SCT 10	Elmex Electric	SEP10	100	8.00	8.80
DST 2.5-1x2	Elmex Electric	DSMP2.5-1x2	100	7.00	7.70
DST 2.5-2x2	Elmex Electric	DSMP2.5-2x2	100	7.50	8.30
DST 4-1x2	Elmex Electric	DSMP4-1x2	100	7.90	8.70
DST 4-2x2	Elmex Electric	DSMP4-2x2	100	9.50	10.50
DST 6-1x2	Elmex Electric	DSMP6-1x2	100	9.80	10.80
DST 10-1x2	Elmex Electric	DSMP10-1x2	100	10.80	On Request
DST 16-1x2	Elmex Electric	DSMP16-1x2	100	11.00	On Request
DST 2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	12.00	On Request
DST 2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	14.00	On Request
DSDT 2.5	Elmex Electric	DPDT2.5	100	7.40	8.20
DSDT 2.5WOSL	Elmex Electric	DPDT2.5WOSL	100	7.00	On Request
DSDT 2.5-2x2	Elmex Electric	DPMDT2.5	100	10.50	11.60
DSDD 2.5	Elmex Electric	DPDD2.5	100	9.50	10.50
DSDDM 2.5	Elmex Electric	DSDD2.5EP	100	9.00	On Request
DCF 4, DCF 4D, DCF 4A	Elmex Electric	DFEP	100	11.60	12.80
SCF 6	Elmex Electric	SFEP6	100	9.00	On Request
MCT 1.5	Elmex Electric	MEP1.5	100	3.40	3.80
MCT 2.5, MCT 2.5P4	Elmex Electric	MEP2.5	100	3.60	4.00
MCT 2.5MC	Elmex Electric	MEP2.5MC	100	5.80	On Request
MCT 4, MCT 4P4	Elmex Electric	MEP4	100	7.00	7.70
DMCT 2.5P4	Elmex Electric	DMEP2.5P4	100	7.00	On Request

Price List for Accessories



END PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT 30	Elmex Electric	EPA30	100	11.00	On Request
PAT 100, PAT 150, PAT 250	Elmex Electric	EPA100	100	16.00	On Request
PBT M3, PBT M4	Elmex Electric	EPBM4	100	6.00	On Request
CUTM 2.5	Elmex Controls	KPNS(Kh)	100	8.00	-
CST 2.5, CST 6, CST 10, CST 2.5WS, CST 6WS, CUT 4, CUT 6, CUT 10	EC/EE	EPX	100	6.50	7.20
CST 16	Elmex Controls	EPY	100	12.00	13.20
CST 25	Elmex Controls	EPT	100	12.50	13.80
CST 35	Elmex Controls	EPZ	100	13.00	14.30
CST 70	Elmex Controls	EP70	100	70.00	On Request
CST 185N	Elmex Controls	EP185	100	110.00	On Request
CAT M3, CAT M4, CAT M5, CBT M4, CBT M5, CBT M6, CABT M4	Elmex Controls	EPS4	100	8.50	9.40
CBTM 6S1, CBT 100	Elmex Controls	EPS5/6	100	12.00	On Request
CATDM 4	Elmex Controls	EPD4	100	13.20	14.60
CLTDM 4	Elmex Controls	EPLD4	100	13.50	14.90
CSTD 6	Elmex Controls	EPTD	100	13.00	14.30
CSLT 1	Elmex Controls	EPSL	100	11.50	12.70

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM 2.5, KUT 2.5, DBK 2.5, DBM 4-10WAY	Elmex Electric	KBM	100	11.00	12.10
KUT 4, KST 4UWS, KUT 6, KUT 10, DBK 8, DBK 1x2, DBK 1x4, DBK 1x8, FDBK 8, FDBK 1x4, FDBK 1x8, DFBK 12	Elmex Electric	KBX	100	13.50	14.90
KST 6WS, KUT 16, DBK 150/16 - 1x2, DBK 150/16-1x4	Elmex Electric	KBY	100	16.00	17.60
KUT 25, DBK 150/25-1x2, DBK 150/25-1x4	Elmex Electric	KBT	100	16.50	18.20
CET 4, NET 4, SUT 4	Elmex Electric	MBX	100	12.00	On Request
SCT 2.5, SCT 4	Elmex Electric	DBF 1	100	26.50	On Request
DST 2.5, DST 4, DSET 4	Elmex Electric	DBF 2	100	29.50	On Request
DST 2.5-1x2, DST 4-1x2, DSDT 2.5, DCT 2.5-1x2, DCT 2.5-2x2, DET 2.5-1x2, DET 2.5-2x2, SCT 6, SCT 10	Elmex Electric	DBF 3	100	40.00	On Request
DST 6, DST 10, DST 16, DSET 6, DSET 10, DST 2.5-2x2, DST 4-2x2	Elmex Electric	DBF4	100	49.50	On Request
DST 6-1x2, DSDT 2.5-2x2, DSCCT 6, DSCCT 6	Elmex Electric	DBF5	100	63.00	On Request

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM 2.5, KUT 2.5, KUT 4, KST 4UWS, KUT 6, KUT 10, ET 4, ET 6, ET 10, KAT M3, KAT M4, KAT M5, KBT M4, KBT M5-15, KBT M6, KAT M3C, KAT M4C, KAT M5C-15, KBT M6C, KAT M3E, KATM 4E, KBTM 4E, KBTM 5E, OAT 2.5, OAT 6, DBK 8, DBK 1x2, DBK 1x4, DBK 1x8, FDBK 3, FDBK 8, FDBK 1x4, FDBK 1x8, DFBK 12, DBK 2.5, DBD 16, DBD 35, DBM 4-10W, KABTM 4	Elmex Electric	KBXF	100	16.00	On Request
KUT 16, KUT 25, KUT 35, ET 16, ET 35, KULT 4, KULT 6, KULT 1, KUDF 4, KUDF 4D, KUDF 4A, KUDDF 4, KUDDF 4D, KUDDF 4A, KUF 10, KUF 10D, KUF 10A, KUFH 4, KUFH 4D, KUFH 4A, KULTD 4, KULTD 4WS, KBT 100, OAT 6T, DBK 150/16-1x2, DBK 150/16-1x4, DBK 150/25-1x2, DBK 150/25-1x4, DBK 150/M6C-1x2, DBK 150/M6C-1x4, KPCH 4, KUDT 6, KUPDS 6	Elmex Electric	KBZF	100	20.00	On Request
KUT 2.5N, KUT 4N, KUT 6N, KUT 10N, KUT 4NTCK, KUT 4NTCJ, KUT 4NTCT, KUT 4NTCE, ETN 4, ETN 6, ETN 10, KUT 4-1x2	Elmex Electric	KNBF2.5/10	100	19.00	On Request
DPBB 50, DPBB 70	Elmex Electric	BPN70	20	31.50	On Request
DPBB 120	Elmex Electric	BPN120	20	37.00	On Request
DPBB 185N, DPBB 240	Elmex Electric	BPA185/240	20	47.50	On Request

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CST 2.5, CST 6, CST 10, CST 2.5WS	Elmex Controls	BPX	100	16.00	On Request
CST 16	Elmex Controls	BPY	100	22.00	On Request
CST 35	Elmex Controls	BPZ	100	30.00	On Request
CBT 110, CBT 110T	Elmex Controls	BPA110	20	34.00	On Request
CBT 170, CBT 170T, CBT 250, CBT 250T, CBT 300, CBT 300T	Elmex Controls	BPA17/25	20	38.00	On Request
CBT 170, CBT 170T, CBT 250, CBT 250T, CBT 300, CBT 300T	Elmex Controls	BPA25/30	20	50.00	On Request
CUT 4, CUT 6, CUT 10	Elmex Controls	CBX	20	21.00	On Request
Suitable For Barrier Plates For Universal Mounted Terminal Blocks					
CSTM 2.5, CST 2.5, CST 2.5WS, CST 6, CST 10, CST 6WS, CUTM 2.5, CUT 4, CUT 6, CUT 10	Elmex Controls	KBXF(Kh)	100	20.00	On Request
CST 16, CST 25, CSLT 1	Elmex Controls	KBZF(Kh)	100	25.00	On Request

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT 4, KST 4UWS, CST 2.5, CST 2.5WS, CUT 4	EC/EE	RSL2.5	50	4.00	
KUT 6, KST 6WS, CST 6, CUT 6, CST 6WS	EC/EE	RSL6	50	4.00	
KUT 10, CST 10, CUT 10	EC/EE	RSL10	50	5.00	
KUT 16, CST 16	EC/EE	RSL16	50	6.50	
KUT 25, CST 25	EC/EE	RSL25	50	9.00	
CST 35	Elmex Controls	RSL35	50	12.00	
KUT 35	Elmex Electric	RSL35K	50	12.00	
KULT 1, CSLT 1	EC/EE	RSL1L	50	18.00	
Long Stud With Screws for Removable Shorting Links					
KUT 4, KUT 6, KST 4UWS, KST 6WS, CST 2.5, CST 2.5WS, CUT 4, CUT 6, CST 6, CST 6WS	EC/EE	LSR2.5-6	50	8.00	
KUT 10, KUT 16, KUT 25, CST 10, CUT 10, CST 16	EC/EE	LSR10-16	50	9.00	
CST 25	Elmex Controls	LSR25	50	12.00	
CST 35	Elmex Controls	LSR35	50	16.00	
KUT 35	Elmex Electric	LSR35K	50	16.00	
KULT 1, CSLT 1	EC/EE	LSR1L	50	20.00	
KUT 2.5N	Elmex Electric	LSR2.5N	50	5.00	
KUT 4N, KUT 4-1x2, KUT 4-2x2, KUT 6N	Elmex Electric	LSR6N	50	5.50	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUTM 2.5	Elmex Electric	CCLK2.5	50	12.00	
KUT 2.5	Elmex Electric	CCLM2.5K	50	12.00	
CST M2.5, CUT M2.5	Elmex Controls	CCLM2.5	50	15.00	
SUT 1.5	Elmex Electric	CCLA1.5	50	18.00	
KUT 4, KST 4UWS, CST 2.5, CST 2.5WS, CUT 4	EC/EE	CCLA2.5	50	13.00	
KUT 6, KUT 6N, KST 6WS, CST 6, CUT 6, CST 6WS	EC/EE	CCLA6/6N	50	14.00	
KUT 10, CST 10, CUT 10, KUT 10N	EC/EE	CCLA10/10N	50	15.00	
KUT 16, CST 16	EC/EE	CCLA16	50	17.50	
KUT 25, CST 25	EC/EE	CCLA25	50	20.00	
CST 35	Elmex Controls	CCLA35	50	24.20	
KUT 35	Elmex Electric	CCLA35K	50	24.20	
KUT 50	Elmex Electric	CCLA50	50	126.00	
KU2D4, KUDD4, SUT4, PET4, CUDD4	EC/EE	CCLADD	50	12.00	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	14.00	
KULT 4	Elmex Electric	CCLAK4	50	13.70	
KULT 6	Elmex Electric	CCLAK6	50	15.80	
CSLT 1	Elmex Controls	CCLA1L	50	20.00	
KULT 1	Elmex Electric	CCLA1LK	50	20.00	
KUT 2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	12.00	
KUT 4N, KUT 4-1x2, KUT 4-2x2	Elmex Electric	CCLA4N	50	13.00	
KUDD 4N	Elmex Electric	CCLADDN	50	15.00	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation -2 Ways for					
KUTM 2.5, KUT 2.5N	Elmex Electric	SLC2.5N	50	14.00	
KUT 2.5, DU3D 4, DUSD 4, KULT 4, KUDD 4N, KULTD 4, KULTD 4WS, KPCH 4, KUDDT 4-2x2, KU2D 4, KU2D 4S, KUDD 4, PET 4, CSTM 2.5, CUTM 2.5	EC/EE	SLC4N	50	15.00	
KUT 4, KST 4UWS, CST 2.5, CST 2.5WS, CUT 4	EC/EE	SLC2.5	50	14.00	
CET 4, NET 4	Elmex Electric	SLE2	50	10.50	
KUT 6, KST 6WS, KULT 6, KUT 6N, KUTSD 6, KUTD 10, KUPDS 6, CST 6, CUT 6, CST 6WS, CSTD 6	EC/EE	SLC6	50	20.00	
KUT 10, CST 10, CUT 10	EC/EE	SLC10N	50	23.00	
KATM 3, KATM 3E	Elmex Electric	KSL3	50	20.00	
KATM 4, KATM 4E, KATM 5, KBTM 4, KBTM 4E, KATM 4C, KATM 5C, KBTM 4C	Elmex Electric	KSL4	50	21.00	
KBT M5-15, KBT M5E, KBT M5-15C, CBT M4, CBT M5	EC/EE	KSL5	50	22.00	
KBT M6, KBT M6C, CBT M6	EC/EE	KSL6/BSL6	50	25.30	
OAT 25	Elmex Electric	KSL7	50	28.00	
OAT 2.5	Elmex Electric	OSL2.5	50	18.00	
OAT 6, OAT 6T, OAT 6DTS, OAT 6DTS-2W	Elmex Electric	OSL6/OSL6R	50	23.00/27.30	
OAT 6DTS-2WSL	Elmex Electric	OSLD6	50	38.00	
OAT10DTS	Elmex Electric	OSLD10	50	45.00	
KUDF 4, KUDF 4AD, KUDDF 4, KUDDF 4AD	Elmex Electric	UFSL	50	20.00	
UBDF 4, UBDF 4D, UBDF 4A	Elmex Electric	CLUF	50	20.00	
KLTD 4	Elmex Electric	KDSL4	50	20.00	

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD 6	Elmex Electric	KSLD6	50	21.00	
KUTD 6	Elmex Electric	SLC6SL	50	19.00	
DTB 35-10	Elmex Electric	SLC17.5	50	45.00	
KULTD 6, KUPTD 6, KUPTD 6S	Elmex Electric	SLD6	50	22.20	
CATM 3	Elmex Controls	ASL1	50	19.00	
CATM 4, CATM 5, CATDM 4, CLTDM 4, CABTM 4	Elmex Controls	ADSL/ADSLR	50	20.00/22.00	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST 2.5, DCT 2.5-1x2, DST 2.5-1x2, DST 2.5-2x2, SCT 2.5, SCT 2.5MC	Elmex Electric	SSL2.5	100	8.00	
DST 4, SCT 4, DCF 4, DCF 4D, DCF 4A, DSDD 2.5, DCDT 4, DS3L 2.5	Elmex Electric	SSL4	100	14.00	
DST 6, SCT 6, DSCT 6	Elmex Electric	SSL6	100	22.00	
DST 10, SCT 10	Elmex Electric	SSL10	100	31.50	
DST 16	Elmex Electric	SSL16	100	50.00	
DST 35	Elmex Electric	SSL35	100	65.00	
MCT 1.5	Elmex Electric	MSL1.5	100	12.00	
MCT 2.5, MCT 2.5P4, MCT 2.5MC	Elmex Electric	MSL2.5	100	12.00	
MCT 4, MCT4P 4	Elmex Electric	MSL4	100	16.00	
Link to use KUDF4 and KUDDF4 as Disconnecting Terminal	Elmex Electric	DL4	100	30.00	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST 2.5, CST 6, CST 10, CUT 4, CUT 6, CUT 10, KUT 4, KUT 6, KUT 10	Elmex Controls	PCST (300mm)	-	95.00	
CAT M3, CAT M4, CBT M4, CBT M5, CBT M6, CABT M4	Elmex Controls	PCC3 (300mm)	-	105.00	
KAT M3, KAT M4, KAT M5, KBT M4, KBT M5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	105.00	
CBT 110, CBT 110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	35.00	
CBT 110, CBT 110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	38.00	
DPBB 50, DPBB 70, DPBB 120 (Covers One Terminal Block)	Elmex Electric	PCP120	-	36.00	
CBT 170, CBT 170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	46.50	
CBT 170, CBT 170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	49.00	
CBT 250, CBT 250T, CBT 300, CBT 300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	52.00	
CBT 250, CBT 250T, CBT 300, CBT 300T (Covers Two Terminal Block)	Elmex Controls	PCP25/30L	-	63.00	
KUTM 2.5, KUT 2.5, KUT 4, KST 4UWS, KUT 6, KST 6WS, KUT 10, KUT 10, KUT 16, KUT 25, KUT 35, ET 4, ET 6, ET 10, ET 16, ET 35, KU2D 4, KULT 4, KULT 6, KULT 1, KUT 2.5N, KUT 4N, KUT 6N, KUT 10N, OAT 2.5, OAT 6, OAT 6DTS, OAT 6DTS-2W, KULTD 4, KULTD 4WS, KUDD 4CC1, KUDD 4CC2, KUDD 4D1, KUDD 4R, KUDD 4CA1, KUDD 4CA2, KUDT 4-2x2 KUDD 4MOV, UBT 2.5, UBT 4, UBT 6, UBT 10, EBT 2.5, EBT 4, EBT 6, EBT 4TWIN, CSTM 2.5, CST 2.5, CST 6, CST 10, CST 16, CST 25, CST 2.5WS, CST 6WS, CSLT 1, ETN 4, ETN 6, ETN 10, KUT 4-1x2, KPCH 4, KUPDS 6	EC/EE	PCK3	-	130.00	
CATD M4, CLTD M4, KLTD M4	EC/EE	PCD3(300mm)	-	150.00	
CAT M3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	13.00	
CAT M3 (Covers Three Terminal Block), CBT M4, CBT M5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	17.00	
CAT M4, CAT M5, CABT M4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	14.00	
CAT M4, CAT M5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	18.50	
CBT M4, CBT M5, CBT M5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	19.00	
CBT M6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	21.00	
CATD M4, CLTD M4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	17.00	
CATD M4, CLTD M4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	25.00	
KAT M3, KAT M3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	13.50	
KBT M6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	22.00	
KBT 100, CBT 100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	20.00	
KBT 100, CBT 100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	32.00	
CBT M6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	20.00	
KAT M4, KAT M4E, KAT M5, KBT M4, KBT M4E, KABT M4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	14.50	
KAT M4, KAT M4E, KAT M5, KBT M4, KBT M4E, KBT M5E KABT M4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	19.00	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and KATM3 to KBTM6 will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net

Elmex Price list April 2022

ElmexControls

ElmexControls

ElmexControls




ElmexControls

ElmexControls





CONVERGING INNOVATIONS, EXPANDING SOLUTIONS



PRICE LIST

(INTERFACE MODULES &
RELAY TERMINAL UNITS)

EFFECTIVE FROM
MAY 2022

With 1 Changeover Relay

Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (D1)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		OLOD1	OLFD1	OOOD1	OOFD1	
3R122	1	260.00	On Request	On Request	On Request	24 VDC
3R123	2	475.00	570.00	470.00	On Request	24 VDC
3R124	4	850.00	1100.00	790.00	On Request	24 VDC
3R126	8	1430.00	1920.00	1400.00	On Request	24 VDC
3R247	16	3400.00	On Request	On Request	On Request	24 VDC

Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (A3)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		TLOA3	TLFA3	TOOA3	TOFA3	
3R122	1	470.00	On Request	On Request	On Request	110 VAC
3R123	2	890.00	1000.00	870.00	On Request	110 VAC
3R124	4	1750.00	2020.00	1730.00	On Request	110 VAC
3R126	8	2950.00	3900.00	2900.00	On Request	110 VAC
3R247	16	On Request	On Request	On Request	On Request	110 VAC

Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (A4)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		TLOA4	TLFA4	TOOA4	TOFA4	
3R122	1	480.00	On Request	On Request	On Request	220 VAC
3R123	2	925.00	1100.00	900.00	On Request	220 VAC
3R124	4	1850.00	2070.00	1800.00	On Request	220 VAC
3R126	8	3450.00	4100.00	3400.00	On Request	220 VAC
3R247	16	On Request	On Request	On Request	On Request	220 VAC

With 2 Changeover Relay

Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (D1)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		OLOD1	OLFD1	OOOD1	OOFD1	
3R104	1	330.00	On Request	On Request	On Request	24 VDC
3R158	2	600.00	870.00	580.00	On Request	24 VDC
3R105	4	1070.00	1590.00	1020.00	On Request	24 VDC
3R081	8	1805.00	N.A.	1770.00	On Request	24 VDC
3R081-J	8	1935.00	2895.00	1890.00	On Request	24 VDC
3R268	16	4500.00	On Request	On Request	On Request	24 VDC

Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (A3)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		TLOA3	TLFA3	TOOA3	TOFA3	
3R104	1	525.00	On Request	On Request	On Request	110 VAC
3R158	2	1040.00	1360.00	1010.00	On Request	110 VAC
3R105	4	1970.00	2370.00	1865.00	On Request	110 VAC
3R081	8	3285.00	4740.00	3200.00	On Request	110 VAC
3R268	16	On Request	On Request	On Request	On Request	110 VAC


Ordering Code	No. of Channels	With Socket		Without Socket		Coil Voltage (A4)
		Without Fuse	With Fuse	Without Fuse	With Fuse	
		TLOA4	TLFA4	TOOA4	TOFA4	
3R104	1	570.00	On Request	On Request	On Request	220 VAC
3R158	2	1095.00	1360.00	1030.00	On Request	220 VAC
3R105	4	1875.00	2510.00	1830.00	On Request	220 VAC
3R081	8	3570.00	4795.00	3510.00	On Request	220 VAC
3R268	16	On Request	On Request	On Request	On Request	220 VAC

With 4 Changeover Relay

Ordering Code	No. of Channels	With Socket	Coil Voltage (D1)	Coil Voltage (A3)	Coil Voltage (A4)
		Without Fuse			
		TLOD1/A3/A4			
3R177	1	On Request	24 VDC	110 VAC	220 VAC
3R367	2	On Request	24 VDC	110 VAC	220 VAC
3R368	4	On Request	24 VDC	110 VAC	220 VAC
3R370	8	On Request	24 VDC	110 VAC	220 VAC

Price List for DIN Rail Mounted Relay Terminal Units


1 Changeover Electromechanical Relay Terminal Units (6.2mm Thickness)



CE

Ordering Code	Ratings	LP (In Rs.)
SR24VADC1CO	24V AC/DC	350.00
SR240VADC1CO	240V AC/DC	550.00


2 Changeover Electromechanical Relay Terminal Units (14.5mm Thickness)



CE

Ordering Code	Ratings	LP (In Rs.)
SR24VADC2CO	24V AC/DC	470.00
SR240VADC2CO	240V AC/DC	650.00

Solid State Relay Terminal Units (6.2mm Thickness)



CE

Ordering Code	Ratings	LP (In Rs.)
SR24VDD24-SSR	8-28V DC (DC to DC)	630.00
SR24VDA24-SSR	8-28V DC (DC to AC)	670.00

Note:

- Prices of IFM with Omron Relays for 24 VDC coil voltage shall be quoted against specific request.
- The Standard Colour of Relay Interface Modules will be Green.
- The Standard Colour of Relay Terminal Units will be Grey. Any other colour than this shall be quoted against specific request.

Terms & Conditions

- | | |
|--|--|
| 1. Price | : Ex-works Vadodara/ Por/ Itola. |
| 2. Packing & Forwarding | : Inclusive of standard packing. |
| 3. GST | : Extra as applicable. |
| 4. Freight | : To be borne by customer. |
| 5. Payment | : 100% advance or as agreed. |
| 6. Dispatch | : By Road/Rail/Courier or on request by Air. |
| 7. Insurance | : If desired by customer, at his cost. |
| 8. Arbitration | : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules. |
| 9. Place of jurisdiction | : The competent place of jurisdiction will be Vadodara, Gujarat, India. |
| 10. Shortages/Damage/
Loss in Transit | : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company. |

Special Clauses

- | | |
|--------------------|--|
| 1. Deduction | : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent. |
| 2. Price Variation | : We reserve the rights to revise our Price list as and when required without any prior notice. |



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net

Elmex Price list April 2022

